Version 1.0



WebClient
Quick Guide

Spielberg
POWERED BY EFALIA

Disclaimer

Spielberg Solutions GmbH makes no representation or warranties with respect to the contents or use of this document and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Spielberg Solutions GmbH reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Spielberg Solutions GmbH makes no representations or warranties with respect to any FileDirector software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Spielberg Solutions GmbH reserves the right to make changes to any or all parts of FileDirector software, at any time, without obligation to notify any person or entity of such changes.

Copyright

© 2023 Spielberg Solutions GmbH. All Rights Reserved.

No part of this document may be reproduced, transmitted or stored in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Spielberg Solutions GmbH.



FileDirector is a registered trademark of Spielberg Solutions GmbH.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

Other product and company names mentioned herein may be trademarks of their respective owners.

Africa, Asia, Australia, Europe and USA

Spielberg Solutions GmbH
Obere Kaiserswerther Str. 17
D-47249 Duisburg
Germany
Email: info@spielberg.de
Web: www.spielberg.de

UK and Eire

Spielberg Solutions Ltd
Unit 11
Basepoint Business & Innovation Centre
Metcalf Way, Crawley
RH11 7XX, UK
Email: info@spielbergsolutions.com
Web: www.spielbergsolutions.co.uk

Software Licence Agreement

IMPORTANT: Read this agreement before installing FileDirector. By installing FileDirector you are deemed to agree to be bound by this agreement.

This licence agreement is a legal document between you and Spielberg Solutions GmbH. If you do not agree to the terms of this agreement return the software CD and accompanying documentation (the "Documentation") and other items to the place from where you obtained them for a refund before they are marked or damaged in any way.

In consideration of the right to use the Software you agree to abide by the terms and conditions of this agreement.

GRANT OF LICENCE

The Software consists of the software modules by:

Spielberg Solutions GmbH, a German public listed company having its place of business at Obere Kaiserswerther Str. 17, 47249 Duisburg, Germany ("Spielberg");

Microsoft Corp., a Washington Corporation having its place of business at 1 Microsoft Way, Redmond, WA 98052-6399, USA ("Microsoft");

MICROPLEX Trading GmbH, a German Company having its place of business at Leipziger Chaussee 191g, 06112 Halle, Germany ("Microplex");

Kofax Inc.., a Californian Company having its place of business at 15211 Laguna Canyon Road, Irvine, CA 92618-3146, USA ("Kofax;");

Developer Express Inc., a Nevada company having its place of business at 6340 Mcleod Dr. Suite1, Las Vegas, NV 89120, USA ("DevExpress");

Dell EMC Corporation, a Massachusetts company having its place of business at 176 South Street, Hopkinton, Massachusetts 01748, USA ("EMC");

Oracle Corporation, a Californian company having its place of business at 500 Oracle Parkway, M/S 5op7, Redwood Shores, California 94065, USA ("Oracle");

PDFTron Systems Inc., a British Columbia corporation, having offices at 838 West Hastings Street, Suite 500, Vancouver, British Columbia, V6C 0A6, Canada ("PDFTron").

The software consists also of Open Source modules, listed below:

Software, which is based in part on the work of the Independent JPEG Group.

Cryptographic software written by Eric Young (eay@cryptsoft.com).

It uses the FreeImage open source image library. See http://freeimage.sourceforge.net for details.

FreeImage is used under the FreeImage Public License (FIPL) version 1.0.

LibTIFF Copyright (c) 1988-1997 Sam Leffler

LibTIFF Copyright (c) 1991-1997 Silicon Graphics, Inc.

LibTIFF: Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

You understand and acknowledge that any software module included in the Software may have utility with or be able to be called by other software and/or hardware, which Spielberg considers to be an unauthorised use of the Software. Accordingly, you agree that you will use such software modules only as part of the Software and not in conjunction with, or as part of, or as a component of other software and/or hardware which makes calls to such software modules.

Spielberg grants you the personal non-exclusive rights:

For a single-user version of the Software, to install and use the Software for internal purposes only on a single computer (the Software is considered in use when it is installed in the temporary memory, i.e. RAM, or the permanent memory, i.e. Hard Disk Drive).

For a multi-user version of the Software, to install and use the Software for internal purposes only for the number of computers or simultaneous users identified in the Installation Configuration sheet of the Software package (for example, if you have purchased a 5-User licence you may install the Software for simultaneous use by up to 5 Users on a network).

BACKUP COPY

You may make whatever copies you deem appropriate from the FileDirector "delivery" Compact Disc, the Programs, Example Files and any other promotional material that may be included thereon. The Application Manual, or any part thereof, may be reproduced in sufficient quantity to support only the number of users licenced to you and no more. You must reproduce and include on the backup copy the copyright notice and other ownership or proprietary legends that are on the original copy of the Software.

You may NOT make or attempt to make any copy whatsoever of the FileDirector Licence. ANY ATTEMPT TO COPY, TRANSFER OR RESTORE THE LICENCE MAY CORRUPT THE ENABLING LICENCE. The Licence, once enabled, represents the full purchase value of the licence to use the FileDirector Software. The enabled Licence can be manipulated ONLY by the commands within the FileDirector application.

RESTRICTIONS

You may not market, distribute or transfer the Software or the Documentation to others, or electronically transfer the Software from one computer to another over a network except as expressly provided herein.

You may not de-compile, reverse engineer, disassemble or otherwise reduce the code of the Software to a human perceivable form.

You may not modify, adapt, translate, rent, lease or loan the Software or the Documentation or create derivative works based on the Software or the Documentation.

OWNERSHIP AND COPYRIGHT

Spielberg, Microsoft, Microplex, Kofax, DevExpress, PDFTron and Pixel reserve all rights to their respective software modules of the Software and the Documentation. The Software and the Documentation is copyrighted. Unauthorised copying of the Software, including portions thereof, or the Documentation is expressly forbidden.

EXPORT CONTROL

You agree that the Software and Documentation will not be shipped, transferred or exported into any country or used in any manner prohibited by the United States Export Administration Act or any other applicable export control laws, restrictions or regulations of the countries involved.

SUPPORT AND UPDATES

Spielberg, Spielberg's subsidiaries or affiliates, their distributors and dealers are not responsible for maintaining or helping you to use the Software and the Documentation, excepting where agreements have been entered into between specific parties, i.e. Spielberg: Distributor, Distributor: Dealer, Dealer: End User.

No updates, fixes or support will be made available for the Software and Documentation other than by publishing such revisions on the Spielberg web site: http://www.spielberg.de or http://www.filedirector.com

Any updates, fixes or support will be made available on the said web site solely at the discretion of Spielberg, who is under no obligation whatsoever so to do.

LIMITED WARRANTY AND DISCLAIMER OF INDEMNITY

Limited Warranty. The Software and documentation is provided "as is" without warranty of any kind, either express or implied, including, but not limited to implied warranties of merchantability and fitness for a particular purpose. The entire risk as to quality and performance of the Software and documentations is with you. Should the Software prove defective you (and not Spielberg, Spielberg's affiliates, their distributors or dealers) assume the entire cost of all necessary servicing, repair or correction. Some states or jurisdictions no not allow the exclusion of implied warranties, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary according to state or jurisdiction.

Spielberg, Spielberg's affiliates, their distributors and dealers do not warrant that the functions contained in the Software will meet your requirements or that the operation of the Software will meet your requirements or that the operation of the Software will be uninterrupted or error free.

However, Spielberg or Spielberg's affiliates warrants a compact disc or diskette on which the Software is stored to be free from defects in materials and workmanship under normal use for a period of ninety (90) days from the date you purchased the same, as evidenced by a receipt or otherwise. Some states or jurisdictions do not allow limitations on duration of an implied warranty, so the above limitation may not apply to you.

CUSTOMER REMEDIES

Spielberg's entire liability and your exclusive remedy shall be the replacement of the Compact Disc and/or Diskette not meeting the LIMITED WARRANTY and which is returned to Spielberg or Spielberg's marketing affiliate, Spielberg Solutions Limited, with a copy of your receipt or otherwise. The LIMITED WARRANTY is void if failure of the Compact Disc has resulted from accident, abuse or misapplication of the software.

No liability for consequential damages. In no event shall Spielberg, or Spielberg's affiliates, their distributors or dealers be liable for any damages whatsoever (including without limitation, direct or indirect damages for personal injury, loss of business profits, business interruption, loss of business information, or other consequential or incidental damages) arising out of the software, the use thereof or inability to use the software even if Spielberg, Spielberg's affiliates, their distributors or dealers has been advised of the possibility of such damages. Some states or jurisdictions do not allow the exclusion or limitation of liability for consequential or incidental damages, so the above limitation may not apply to you.

Disclaimer of indemnity. Spielberg, Spielberg's affiliates, their distributors and dealers shall have no obligation to indemnify you against any claim or suit brought to you by a third party alleging that the Software or the use thereof infringes any intellectual property of such third party.

TERM

This agreement is effective upon the installation of FileDirector Server and Client and remains in effect until terminated. You may terminate this agreement by destroying the Software and any copy thereof. This agreement will also terminate if you fail to comply with any of the terms of this agreement. In addition to Spielberg enforcing its legal rights, you must then promptly destroy the Software and any copy thereof.

ACKNOWLEDGEMENT

By selecting the 'Yes, I accept the agreement' option during the software installation process, you acknowledge that you have read this agreement, understand it and agree to be bound by its terms and conditions. You further agree that this agreement is the complete and exclusive statement of agreement between you and Spielberg concerning the subject matter hereof, which supersedes any proposals or prior agreements, oral or written, and any other communication between you and Spielberg relating to the subject matter hereof. No amendment to this agreement shall be effective unless signed by a duly authorised representative of Spielberg.

Should you have any questions concerning this agreement, or if you desire to contact Spielberg for any reason, please write to your authorised supplier requesting that they pass your correspondence to Spielberg Solutions GmbH.

Table of Contents

Welcome to FileDirector 8

How Documents are Stored 8

Requirements 9

Host 9
Browser 9
Accounts 10
Working Offline 10
WebScan 10
Installing ClickOnce Solutions 10

Connection to the WebClient 12

Install as an App 12
User Licences 13

Electronic Documents 14

How are eDocs stored in FileDirector? 14
How can eDocs be displayed? 14
Page selection when displaying eDocs 14
Capture of electronic documents 14
Edit electronic documents 14

The WebClient Desktop 15

Browser 15
App 16
Areas 16
Title bar 16
Action bar 17
Navigation Bar (Filing System only) 18
Action Tab(s) 21
Document lists 25
Hitlist 25
Full Text Search Results 26
Local documents 26
Process management 27
Document viewer 27

Document Status 28

New 28
Archived 28
Read only 28

Checked-out 29

First Steps 30

Cabinets and Document Types 30
Switch Cabinets Manually 30
Select Document Types 30
Action bar (Work Areas) 31
Search 32
Search/Extended Search 32
Use Search Parameter 33
Working with search results 35
Display of the hit list 35
Create Documents 36
Drag & Drop/File Import Window 36
WebScan 36
Display/Viewer 38
Default 38
Extended Options/Panel 38
Print 39
Print from Hitlist 39
Print from Viewer (Menu) 40
Include comments 40
Include annotations 40
Edit 40
Editing document index data 41
Change Document Types 41
Add files to existing documents 42
Insert files into existing documents 45
Annotations 47
Send to 47
Local documents 47
Process 47
Manual Sending 47
User 47
Closing Tabs 48

Welcome to FileDirector

In addition to the FileDirector WinClient and FileDirector Web, the FileDirector WebClient is the latest application to work with documents stored or to be stored in FileDirector Cabinets. Due to its Blazor WebAssembly based technology, FileDirector WebClient is an ideal solution for a modern working environment.

Using the WebClient, not only standard tasks such as document import, retrieval and editing can be done.

In addition, the WebClient can also be used to take part in FileDirector BusinessProcessManagement.

How Documents are Stored

FileDirector stores documents in cabinets. There may be several cabinets created in an organisation; a user is only allowed to work with those cabinets to which they have been granted access.

Each cabinet can contain different document types. Index fields are assigned to these document types. In the process of archiving a document, the respective index fields can be filled with corresponding index data. This index information is used for a later retrieval.

Although users may have access to a cabinet, they are only able to work with the document types in a cabinet to which they have been granted access. Additionally, different rights can be granted per document type, a user may for example store documents in one document type but may only retrieve and display documents from another document type.

Documents scanned in black and white are stored as TIFF; coloured documents are stored as compressed JPEG files. In addition, most FileDirector built-in scanner drivers offer a conversion to PDF/A.

If electronic documents (EDocs) are archived, they are saved in their original format and can be viewed in FileDirector WinClient via an integrated viewer and in FileDirector Web and WebClient by temporarily converting them to PDF format - even if the original application is not installed on the search computer. FileDirector WinClient can be used to make changes to electronic documents (EDocs), provided the original application (e.g. Word) is installed. In regular document types, changes are always saved in revisions, i.e. the original version of the respective document is retained.

Requirements

Since the application is a Blazor WebAssembly technology based solution, it is run directly within the browser, the requirements for the server providing the application are simplified to an installed and configured Internet Information Service (IIS) or an appropriate alternative e.g. Apache.

The following operating systems are recommended:

Host

Microsoft® Windows® Server 2012	Product family
Microsoft® Windows® Server 2012 R2	Product family
Microsoft® Windows® Server 2016	Product family
Microsoft® Windows® Server 2019	Product family

Microsoft® Windows® 8.1

Microsoft® Windows® 10

Notes:
Windows 8.1 and Windows 10 are only recommended for evaluation environments Browser.

For detailed Microsoft Product and Services Lifecycle information also see:
https://docs.microsoft.com/en-us/lifecycle/products/

Browser

Apple Safari, including iOS	Latest version
Google Chrome, including Android	Latest version
Microsoft Edge	Latest version
Mozilla Firefox	Latest version

Notes:
Some functions are not supported by all browsers. In order to use the full range of functions, a Microsoft Windows environment and Microsoft Edge and Google Chrome are recommended.

Accounts

FileDirector WebClient supports FileDirector *Built-in Domain* accounts and accounts using FileDirector *Single Sign-on (SSO) for Azure AD*.

Working Offline

In order to use the FileDirector WebClient offline, the following requirements must be met.

- The connection must be made via *HTTPS* or *localhost*.
- The option *Remember me* must be selected when logging-in.
- There must be no logout before the feature is to be used.

WebScan

The WebScan Clients are distributed to clients as *ClickOnce* solutions and are started directly from the web browser. The following requirements must be met:

- Latest Microsoft .Net Framework 4.x or higher

One of the following browsers:

- Microsoft Edge
- Mozilla Firefox (Add-on: Microsoft .Net Framework Assistant)
- Google Chrome (Add-on: Click-Once for Google Chrome)

Notes
The browser add-ons can be acquired and installed through the respective browser's add-ons option. Additional help concerning the installation procedure can be found in your browser's help file.

Installing ClickOnce Solutions

Microsoft Edge ClickOnce Support

ClickOnce is supported.

You can check whether the support is activated on the respective system via *edge://flags/#edge-click-once* and select the preferred setting in the drop-down list.

Note
For more information, also see:
ClickOnce and DirectInvoke in Microsoft Edge | Microsoft Docs

Google Chrome ClickOnce Solution

ClickOnce is supported in Google Chrome via 3rd party applications.

Example

ClickOnce for Google Chrome - Chrome Web Store

Disclaimer:
External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.

Mozilla Firefox ClickOnce Solution

ClickOnce is supported in Mozilla Firefox via 3rd party applications.

Example

https://addons.mozilla.org/de/firefox/addon/breez-clickonce/?src=search


Add the extension and restart the browser.

Disclaimer:
External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.

Connection to the WebClient

FileDirector WebClient is a browser application. Just connect to FileDirector as to other websites by typing in the URL into the browser address bar.

http(s)://[server name/server IP address]/webclient



Install as an App

Since FileDirector WebClient is based on the Blazor WebAssembly technology, it can also be easily installed as an app after the first access to the URL.

User Licences

Users are assigned to one of the following FileDirector groups; *fd-admins*, *fd-scan*, *fd-scan-named*, *fd-user*, *fd-user-named* and *fd-web*.

Only as many users can connect to the FileDirector Server and logon as licences are available. After *20 minutes* of idle time (this is a default value and can be changed), a FileDirector WebClient session will automatically log off and free the licence for another user.

It is possible to specify more users in the FileDirector *fd-scan* and *fd-user* groups than concurrent licences available. Therefore, it is possible, that a user cannot connect to the system because all licences are used. Logon will then only be possible once another user has logged off.

The groups *fd-scan-named* and *fd-user-named* should only contain as many users as named licences are available. The users specified here will always have access to the system; e.g. to scan, index and check in and retrieve documents.

Electronic Documents

How are eDocs stored in FileDirector?

Any electronic document that is not imported in TIFF or JPG format is saved as a single-page FileDirector document, even if the file itself contains multiple pages. These file formats will be converted to PDF for display in the FileDirector WebClient.

How can eDocs be displayed?

EDocs are converted to PDF for display in the FileDirector WebClient. This means that a Word file with four pages, which was saved as a *.doc or *. docx file in FileDirector using the FileDirector OfficeLink, is displayed as a PDF document with four pages.

This conversion only affects the display in FileDirector WebClient. The document itself remains in FileDirector as a Word file.

Page selection when displaying eDocs

Scrolling through an electronic document is done by scrolling the mouse wheel or the scroll bar in the display area, see *Extended Options/Panel*.

Capture of electronic documents

Electronic documents can be saved in FileDirector in different ways.

For the FileDirector WebClient, the upload option is available in the *New Document* workspace.

Edit electronic documents

Working with WebClient, electronic documents must be saved on the local computer and the opened with the original application. After the changes have been made, the edited file can be uploaded via WebClient, again.


The WebClient Desktop

FileDirector WebClient can be used in two ways – within a current browser or as an app.


Both ways offer the same general layout.

In general, the user interface is organized into four areas. It starts at the top with the *Title bar* and continues, from the left to the right, with the *Action bar*, *Navigation bar* and the *Action tab(s)*.

Browser



App



Areas

The different areas of the FileDirector WebClient user interface provide quick access to the most important functions, for working with documents.

Title bar



The Title bar contains all necessary basic information at a glance.

Cabinet and Document Type Selection



In the centre is the option for the cabinet and the document type.

Full Text Search



Right next to it is the option for the full text search.

Notifications



All necessary information about actions within FileDirector WebClient is displayed here, such as successful check-in actions.

Menu

A

The button shows the initial of the logged-in user. The first letter of the user name is displayed as the initial. The menu provides the sections *Settings*, *About* and *Log-out*.

Settings



The Settings area provides the tabs for *General Settings*, *Password* and *Layout*.

About



This provides all information about the FileDirector WebClient version in use.

Log-out



This logs off the logged-in user and displays the login screen again.

Action bar









The *Action bar* is the main area of FileDirector WebClient. This is where you select the area on the task you want to do with WebClient. The four areas are *Search*, *New document*, *Local documents* and *Process management*.

Search



The *Search* area contains the various options to search for documents within FileDirector - except for the *Full text search*. This is located in the *Title bar*.

New document



The area *New document* provides all necessary options to create new documents using the WebClient application, this includes access to available scan profiles and FileDirector Forms via a drop-down menu.

Local documents



The area *Local documents* contains a list with all documents, stored locally on the client system, with a quick access to the view and edit functionalities.

Process management



The area *Process management* gives you access to work with your FileDirector documents, sent to you either by other FileDirector users, via an ad hoc process or the BusinessProcessManagement.


Navigation Bar (Filing System only)

This bar is only displayed if the selected cabinet contains a filing system structure.


In addition, the document type selected in the *Title bar* must have further levels.

If the selected document type does not have any further levels, the area is shown as *Empty*.

Example (Document type with further levels):



Example (Document type without further levels):



Favourites


☆ / ★

Working within a cabinet, built with the *Filing System Designer*, allows you to mark *Index Field Levels* as *Favourites*.


Levels that have been marked as *Favourites* are additionally highlighted in bold.

Example:

The level *Human Resources* is selected and can be marked as *Favourite*.



The level *Human Resources* has been marked as *Favourite*.




+

Index Field Levels marked as *Favourites* can be displayed exclusively. The option *Favourites* in the context menu of the right mouse button allows you to toggle between displaying all levels or only those levels that have previously been marked as *Favourites*.

Referring to the example above, when the option is selected, only the level *Human Resources* is displayed in the *Navigation Bar* area.

All other levels are hidden.



Expand all / Collapse all

/

Working within a cabinet, built with the *Filing System Designer*, this option allows you to show or hide all available levels of the selected document type via the context menu of the right mouse button.

Action Tab(s)

The action tabs displayed in each case are context-based.

Search



After selecting *Search* from the *Action bar*, the corresponding *Action tab* opens.

On the Toolbar of this *action tab*, you will find several search options such as *Search*, *Extended search*, *Info search*, *Search history* and the fields connected to the selected document type are displayed.

The selected document type is displayed in the Title bar and can be switched there.

Icon	Function
	Clear index fields
	Search
	Extended search
	Info search

Icon	Function
	Search history
	Show operators (Toggle)


The option *Show operators* allows you to toggle whether available operators for the fields are displayed or not.

In default, fields are displayed without the operator drop-down option visible.

Example:


Hidden operators

The field is displayed without the operator drop-down option.



Displayed operators

The field is displayed with the operator drop-down option.



Hitlist



This tab is only displayed after a *Search*, *Extended search* or *Info search* has been executed.

These tabs are consecutively numbered, by default.

> *Note:*
> *When a search action has been performed, the tab* Hitlist *remains visible even if the area is changed via the Action bar.*

Icon	Function
	Filtering
	Show group panel
	View
	Edit
	Check-Out
	Undo Check-Out
	Save to local list

New document



After selecting *New document* from the *Action bar*, the Action tab *New document* opens, directly in *Edit* mode.

Within this tab, new documents can be created and sent to the FileDirector ECM via Check-in.

The required *Cabinet* and *Document Type* can be selected within the *Title bar*, above.

The option *Save to local list* allows it also to save the document locally.

It is then available, also offline, in the *Local Documents* area on this computer for the logged-in user.

Icon	Function
	Save and move to next document
	Check-In
	First document

Icon	Function
	Previous document
	Next document
	Last document
	Clear index fields
	Remove
	Scan Batch
	Scan
	Scan Settings
	Available scan profiles
	Available FileDirector Forms


Local documents



After seleciting *Local documents* from the *Action bar*, the Action tab *Local documents* opens.

Icon	Function
	Filtering
	Show group panel
	View
	Edit
	Check-In
	Check-Out
	Undo Check-Out
	Remove

Process management



After selecting *Process management* from the *Action bar*, the Action tab *Process management* opens.

Icon	Function
	Filtering
	Show group panel
	View
	Edit

Icon	Function
	Remove
	Refresh

Document lists

Document lists are shown within the context specific tabs. There are three different lists.

Hitlist

The *Hitlist* contains all the results of a search in FileDirector. It is displayed after a search in a cabinet. In case a *Hitlist* is already displayed, the tab *Hitlist* is updated and the numbering within the tab is incremented by one, except when the tab was previously pinned.

When a *Search* is performed, it will only be performed on a single document type and the Hitlist contains only documents of that document type.

When an *Extended search* is performed, the search is run on all document types, available for the logged-in user. The *Hitlist* is sorted by document type. The list shows the name of the document types and in brackets, the number of hits within it.

It also shows the status for each document on the list. This provides a helpful overview whether a document is in use and checked-out by another user or editable.

The Hitlist can be sorted in several ways e.g. ascending or descending, depending on the values in a column. Just click on the column header and the list is sorted ascending depending on the values of the column you selected.

A double click with the left mouse button on an entry opens the document in a separate tab.

Icon	Function
	Filtering
	Show group panel
	View
	Edit
	Check-in
	Undo Check-out
	Save to local list

Full Text Search Results

After performing a full text search, the results will be displayed in a *Hitlist*. Each record shown in the list refers to a specific page of a document. The location in the document is shown in the column *On page*.

Additionally, a ranking in *%* is displayed for each page as to the relevance of the page in relation to the search performed.

Electronic format documents, such as Microsoft Word documents and PDF's are included in the search, however, when selecting a document to view, page 1 of the document will always be displayed.

Local documents



The list Local Documents, known from FileDirector WinClient, is in FileDirector WebClient located in the area *Local Documents*, which can be selected via the Action bar on the left-hand side.

This list contains documents, created by the logged-in user on this system. These documents are either created by using option *New document*, *WebScan* or *Send to*.

> *Note:*
> *Documents, shown within the action tab New Documents are stored in the browser cache of the local system.*

Process management



The corresponding action tab contains a list of all documents, sent by other users of FileDirector, an ad hoc process or through the BusinessProcessManagement, if the logged-in user is defined within a user action step.

Document viewer

The selected document is displayed within the viewer in the document tab.

All documents are converted into PDF format, for display purpose only.

Document Status

Each document on a document list has a defined status. The status shows whether a document is stored locally on a workstation or on the FileDirector server. If a document is being edited by another user, it is displayed with a *read only* status and cannot be edited by another user at that time.

New



New denotes that a document is hasn't ever been checked-in and uploaded to the FileDirector server. A document with a *New* status is only available on the client system it has been created on.

Archived



Archived denotes that a document is checked in to the FileDirector server.

A document with an *Archived* status is downloaded from the server if it is displayed on the search list.

Read only



Documents with a status of *Read only* are currently checked out by another FileDirector user. These documents can be displayed but cannot be checked out in order to be changed.

Notes
In certain circumstances (for example: checked out documents are stored on a hard disk which is damaged) this status can be reset by an administrator by selecting Undo Check-out *in FileDirector WinClient.*

Checked-out



Documents with a status of *Checked-out* are currently checked out by the logged-in FileDirector user.

These documents can be displayed, edited and afterwards checked back in.

Until then, they are only available to other users in Read only status.

First Steps

Cabinets and Document Types

After the log-in, the FileDirector WebClient desktop is displayed, with the *Action bar* on the left hand side and the area *Search* selected, which also displays the *Search* tab.

The displayed *Cabinet* is shown in the *Title bar*, followed by the selected *Document type* and the input field for the *Full-text search*.



Switch Cabinets Manually

The preselected cabinet can be switched by clicking on the cabinet shown in the Title bar and choosing a cabinet from the displayed list.

Icon	Function
	List of available cabinets

Select Document Types

Also the preselected document type can be switched by clicking on the icon in the Title bar and choosing the required document type from the displayed list.

Icon	Function
	List of available document types

Action bar (Work Areas)









The *Action bar* is the main area of FileDirector WebClient.

The four areas *Search*, *New document*, *Local documents* and *Process management* provide the options to perfom the respective task in WebClient.

Search



The *Search* section contains the various options to search for documents within FileDirector - except for the *Full text search*. This is located in the *Title bar* area.

> *Notes*
> *A setting on the server limits the maximum number of documents to be returned to the Search Results list to 1000 entries. This default value can be changed by an administrator*
> *See the Installation Guide*

New document



The area *New document* provides all necessary options to create new documents using the WebClient application, this includes access to available scan profiles and FileDirector Forms via a drop-down menu.

Local documents



The area *Local documents* contains a list with all documents, stored locally on the client system, with a quick access to the view and edit functionalities.

Process management



The area *Process management* gives you access to work with your FileDirector documents, sent to you either by other FileDirector users or via the BusinessProcessManagement.

> *Notes*
> *A setting on the server limits the maximum number of documents to be returned to the Search Results list to 1000 entries. This default value can be changed by an administrator*
> *See the Installation Guide*

Search

A search can be performed within a specified document type or over all document types of a cabinet that the logged-in user has rights to.

Documents can be searched for using the index data entered against each document, or by searching the content of the documents themselves by using full text search.

> *Note:*
> *For full text search, the OCR Server option is required, and must be configured to OCR the relevant Document Types.*

Select Search from the *Action bar* on the left-hand side.

Now, the Action tab *Search* is displayed. To run a search in a specific document type, select the document type within the title bar.

The result is displayed in an additional tab, labelled *Hitlist*.

Search/Extended Search

The FileDirector ECM system provides to different search options.

Search



With this option, the search, based on given index values, is only run within the document type selected above.

Extended Search



This option performs the search, based on given index values, across all available document types within the selected cabinet.

Info Search

This option allows you to use additional, internal fields, which are connected with each FileDirector document, such as *Created by*, *Created on*, *Archived on*, *Modified by* and *Modified on*.

Full Text Search



Searching for documents by their content can be performed by selecting the *Full text Search* from the *Title bar*. After entering the relevant word or phrase, the search can be either performed within the selected Document Type or across all Document Types the user has rights to.

> *Note:*
> *To be able to use* Full Text Search*, the documents must have had OCR performed on them on the FileDirector Server using the optional OCR Server module.*

In default, a full text search is only be performed within the selected document type.

Using the shortcut CTRL+ , the full text search will be performed within all available document types of the selected cabinet.

The default behaviour can be changed in the *Settings* of WebClient. The option *Perform extended search by default* will swap the behaviour of the full text search.

Use Search Parameter


The option *Show operators* allows you to toggle whether available operators for the fields are displayed or not.

In default, fields are displayed without the operator drop-down option visible.

Example:

Hidden operators


The field is displayed without the operator drop-down option.



Displayed operators

★

The field is displayed with the operator drop-down option.



When searching using index fields a search parameter can be selected for each field that specifies the search conditions.

Parameter	Description
★	Wildcard search
=	Exact match
≠	Not equal search
<	Smaller than value specified
≤	Smaller or equal value specified
>	Greater than value specified
≥	Greater or equal value specified
.--.	Range search With this option two values have to be specified, a lower and an upper limitation for the range.
()	Empty value search
≷()	Search for all documents with index field filled

Working with search results

The list of Search results (*Hitlist*) is displayed after a successful search operation on the server has been performed. . In case a *Hitlist* is already displayed, the tab *Hitlist* is updated and the numbering within the tab is incremented by one, except when the tab was previously pinned.

The Search Results can only be displayed when the WebClient is connected to the FileDirector server.

> *Notes*
> *A setting on the server limits the maximum number of documents to be returned to the Search Results list to 1000 entries. This default value can be changed by an administrator*
> *See the Installation Guide*

Display of the hit list



The *Hitlist* contains all results of a search in FileDirector. It is displayed after a search in a cabinet. In case the list is already displayed, the tab *Hitlist* is updated and the numbering within the tab *Hitlist* is incremented by one, except when the tab was previously pinned.

> *Notes*
> *A setting on the server limits the maximum number of documents to be returned to the Search Results list to 1000 entries. This default value can be changed by an administrator*
> *See the Installation Guide*

When a *Search* is performed, it will only be performed on a single document type and the hit list contains only documents of that document type.

When an *Extended search* is performed, the search is run on all document types, available for the logged-in user. The *Hitlist* is sorted by document type. The list shows the name of the document types and in brackets, the number of hits within it.

It also shows the status for each document on the list. This provides a helpful overview whether a document is in use and checked-out by another user or editable.

The hit list can be sorted in several ways. The hit list can be sorted ascending depending on the values in a column. Just click on the column header and the list is sorted ascending depending on the values of the column you selected.

A double click with the left mouse button on an entry opens the document in a separate tab.

Icon	Function
	Filtering
	Show group panel
	View

Icon	Function
	Edit
	Check-in
	Undo Check-out
	Save to local list

Create Documents

After selecting *New Document* from the *Action bar*, the corresponding *Action tab* is displayed.

Firstly, the appropriate *Cabinet* and *Document type* must be selected in the *Title bar*.

Now, the corresponding fields are displayed.

New documents can either be created by:

Drag & Drop/File Import Window



New files can be either added via *Drag & Drop* to the upload icon or click on the icon and select the file from the file system.

WebScan



Through *WebScan*, new documents can be created by scanning with previously in FileDirector Enterprise Manager set up scan profiles. These scan profiles are listed in a drop-down menu on toolbar of the *Action tab* New documents.

Installation



WebScan is a ClickOnce solution and must be installed before first use by clicking the Scan Settings icon.

> *Note:*
> *See also:* Installing ClickOnce Solutions.

A notification window for the installation of *WebScan* opens and the installation must be confirmed.

Batch Scan



Using *Batch Scan* all pages in the feeder of a scanner are scanned and stored as one document in FileDirector.

To scan a multipage document:

1. Put the page or pages into the scanner feeder.
2. Select the preferred *scan profile*.
3. Select *Batch scan* from the Action tab.

Single Page Scan



All documents in the feeder of a scanner are scanned and each page is stored as a single-page-document.

Example

1. Put the page or pages into the scanner feeder.
2. Select the preferred *scan profile* from the drop-down list.
3. Select *Scan* from the Action tab.

Scan Settings



Documents are scanned using scan profiles. The scan profiles are configured in Enterprise Manager by a FileDirector administrator. Scan profiles can be designed to provide the highest quality scan by setting the best scanner parameters for the documents to be scanned.

Which scanner settings can be configured in the scan profile, depends on the scanner and the driver being used. Settings such as resolution, single or double-sided scanning and colour or black & white scanning are available. A scan profile can also be set to automatically scan a defined number of pages into one document.

The scanner settings of a selected scan profile can be temporarily changed in WebScan, by clicking *Scan settings*.

For example the brightness setting can be adjusted to the quality of the documents to be scanned.

The available settings depend on the scanner driver used.

Display/Viewer

A document can either be opened by a double click on the *Hitlist* or by selecting the document on the *Hitlist* and select the icon *View*.


When a document is selected by a double click on the *Hitlist*, the label of the tab is displayed according to the index value of the document, that was selected by double click.

Icon	Function
	View


Default

In default, the viewer displays one thumbnail per file on the left-hand side and the first page of the document.


In case of a multipage document, use the mouse wheel to scroll through the pages of the selected file.



Extended Options/Panel



Selecting Panel offers additional display options such as *Thumbnails*, *Outlines* and *Signatures*.



Print


Print from Hitlist

The *Print* function is located in the context menu of the right mouse button.
This option allows you to print the whole FileDirector without annotations, if any.

Print from Viewer (Menu)

The *Print* function is located in the menu of the PDF toolbar, in the respective tab of the displayed document.

Now you can select information to be printed.



Include comments

If the option *Include comments* is selected, the corresponding comments will be included as additional pages.

Include annotations

If the option *Include annotations* is selected, the corresponding annotations are included in the printing process.

Edit

Existing documents can be edited in many ways, depending on whether it is a document stored in a cabinet or a new document on the list Local documents.

Editing of documents will also depend upon the rights of the user.

Index information stored with a document can be added or edited at any time. The relevant user must have rights to modify documents.

Each change of a document which has been already checked in to a document type is stored as a revision after checking in, unless the document type has been configured to disable revisions.

Editing document index data

Firstly, the document to be edited must be selected from the *Hitlist* or the list *Local documents* and the edit mode must be selected.

It can either be selected directly from the *Hitlist* tab, after selecting the document on the *Hitlist* or from the document tab itself.


Icon	Function
	Edit

The editing of index data is done within the corresponding document tab, after selecting *Edit*. Now, the index information for the current document is displayed.


As soon as editing of index values is started, the document is automatically checked out to prevent simultaneous editing by other users and the background colour of the respective field changes.

Example:

Existing value



Edited value



Click on the Check-in icon to apply the changes.

Change Document Types

Firstly, the document to be edited must be selected from the *Hitlist* or the list *Local documents* and the edit mode must be selected.

To move a document to a different Document Type, select the corresponding document tab and then the new Document Type from the *Title bar*. Now, the index fields relevant for the new Document Type are displayed.

New index data can be entered into the fields or existing index data can be changed.

Click on the Check-in icon to apply the changes.

Add files to existing documents

Files can be added to any document in the FileDirector, except for documents that have *Read Only* status. These documents have been checked out for editing by another user and can only be edited after they have been checked back in.

> *Note:*
> *A requirement is, of course, that the logged-in user has the corresponding permissions.*

To add files to an existing document, you must first perform a *Search*.

Then, either select the document on the hitlist and select *Edit* from the toolbar of the *Hitlist* action tab or open the document and select *Edit* from the toolbar of the document tab.




Edit on the Hitlist tab



Edit on the document tab

After switching to the *Edit* mode, the display in the document tab is extended to include the fields for the document type, selected in the *Title bar* above, and the area for adding new pages or files to the respective document.



Now, just move the documents via *Drag & Drop* to the upload icon or click on the icon and select the file from the file system.


The new content is appended.

Note:
Files can be inserted into any document in the FileDirector, except for documents that have Read only *status. These documents have been checked out for editing by another user and can only be edited after they have been checked back in.*

A requirement is, of course, that the logged-in user has the corresponding permissions.

Example:

Before



The source document has one page.

After




A PDF document with one page has been added to the source document.

Before



The document now consists of 2 PDF files with one page each.

After



Another PDF document with one page has been added, with the thumbnail of file 2 previously selected.

Insert files into existing documents

To be able to insert files in an existing document, you must first perform a *Search* and open the corresponding document.

Then, either select the document on the hitlist and select *Edit* from the toolbar of the *Hitlist* action tab or open the document and select *Edit* from the toolbar of the document tab.




Edit on the Hitlist action tab



Edit on the document tab

After switching to *Edit* mode, the display in the document tab is extended to include the fields for the document type, selected in the title bar above, and the area for adding new pages or files to the respective document.



To insert a file into a document, first select the page in the thumbnail above which the new content is to be inserted. Now, just move the documents via *Drag & Drop* to the upload area or click on the icon and select the file from the file system.

The new content is prepended, above the previously selected thumbnail.

Note:
Files can be inserted into any document in FileDirector, except for documents that have Read only status. These documents have been checked out for editing by another user and can only be edited after they have been checked back in.

A requirement is, of course, that the logged-in user has the corresponding permissions.


Example:

Before




The document now consists of 2 PDF files with one page each.

After



Another PDF document with one page has been added, with the thumbnail of file 1 previously selected.

Annotations



The drop-down menu of the viewer's taskbar offers multiple options for editing the document itself e.g. *Annotate*, *Shapes* and *Forms*.

These options provide a variety of ways to highlight or hide information in a document

Send to



Local documents



Documents can be sent from a Hitlist to the list *Local documents*.

A copy of these documents is then kept locally on the respective system for the logged-in user.

Process



Processes must have been configured for a document to be sent to one. Documents can be sent on a process manually or automatically.

Manual Sending

To send documents manually to processes:

1. Select the document to be sent
2. Right-click and select *Send to…* ⇨ *Process*.
3. Select the process to be used. Which process should be used must be checked with the administrator who configures the processes to company requirements.
4. Add a comment, if required
5. Press *Ok*

User



Select the document or documents to be sent in the document list, right click and select *Send to* ⇨ *User*. The target user can then be selected. When sending, a comment can be added as a note for the recipient, which is displayed when the document is opened.

All tabs, except the main action tab can be closed by pressing the ×, top right of the tab.

Closing Tabs

All tabs, except the main action tab can be closed by pressing the ×, top right of the tab.