Version 4.0



WebServer
User Guide

Spielberg
POWERED BY EFALIA

Disclaimer

Spielberg Solutions GmbH makes no representation or warranties with respect to the contents or use of this document and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Spielberg Solutions GmbH reserves the right to revise this publication and to make changes to its content, at any time, without obligation to notify any person or entity of such revisions or changes.

Further, Spielberg Solutions GmbH makes no representations or warranties with respect to any FileDirector software, and specifically disclaims any express or implied warranties of merchantability or fitness for any particular purpose. Further, Spielberg Solutions GmbH reserves the right to make changes to any or all parts of FileDirector software, at any time, without obligation to notify any person or entity of such changes.

Copyright

© 2023 Spielberg Solutions GmbH. All Rights Reserved.

No part of this document may be reproduced, transmitted or stored in any form or by any means, electronic or mechanical, for any purpose, without the express written permission of Spielberg Solutions GmbH.



FileDirector is a registered trademark of Spielberg Solutions GmbH.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries.

Other product and company names mentioned herein may be trademarks of their respective owners.

Africa, Asia, Australia, Europe and USA

Spielberg Solutions GmbH
Obere Kaiserswerther Str. 17
D-47249 Duisburg
Germany
Email: info@spielberg.de
Web: www.spielberg.de

UK and Eire

Spielberg Solutions Ltd
Unit 11
Basepoint Business & Innovation Centre
Metcalf Way, Crawley
RH11 7XX, UK
Email: info@spielbergsolutions.com
Web: www.spielbergsolutions.co.uk

Software Licence Agreement

IMPORTANT: Read this agreement before installing FileDirector. By installing FileDirector you are deemed to agree to be bound by this agreement.

This licence agreement is a legal document between you and Spielberg Solutions GmbH. If you do not agree to the terms of this agreement return the software CD and accompanying documentation (the "Documentation") and other items to the place from where you obtained them for a refund before they are marked or damaged in any way.

In consideration of the right to use the Software you agree to abide by the terms and conditions of this agreement.

GRANT OF LICENCE

The Software consists of the software modules by:

Spielberg Solutions GmbH, a German public listed company having its place of business at Obere Kaiserswerther Str. 17, 47249 Duisburg, Germany ("Spielberg");

Microsoft Corp., a Washington Corporation having its place of business at 1 Microsoft Way, Redmond, WA 98052-6399, USA ("Microsoft");

MICROPLEX Trading GmbH, a German Company having its place of business at Leipziger Chaussee 191g, 06112 Halle, Germany ("Microplex");

Kofax Inc.., a Californian Company having its place of business at 15211 Laguna Canyon Road, Irvine, CA 92618-3146, USA ("Kofax;");

Developer Express Inc., a Nevada company having its place of business at 6340 Mcleod Dr. Suite1, Las Vegas, NV 89120, USA ("DevExpress");

Dell EMC Corporation, a Massachusetts company having its place of business at 176 South Street, Hopkinton, Massachusetts 01748, USA ("EMC");

Oracle Corporation, a Californian company having its place of business at 500 Oracle Parkway, M/S 5op7, Redwood Shores, California 94065, USA ("Oracle");

PDFTron Systems Inc., a British Columbia corporation, having offices at 838 West Hastings Street, Suite 500, Vancouver, British Columbia, V6C 0A6, Canada ("PDFTron").

The software consists also of Open Source modules, listed below:

Software, which is based in part on the work of the Independent JPEG Group.

Cryptographic software written by Eric Young (eay@cryptsoft.com).

It uses the FreeImage open source image library. See http://freeimage.sourceforge.net for details.

FreeImage is used under the FreeImage Public License (FIPL) version 1.0.

LibTIFF Copyright (c) 1988-1997 Sam Leffler

LibTIFF Copyright (c) 1991-1997 Silicon Graphics, Inc.

LibTIFF: Permission to use, copy, modify, distribute, and sell this software and its documentation for any purpose is hereby granted without fee, provided that (i) the above copyright notices and this permission notice appear in all copies of the software and related documentation, and (ii) the names of Sam Leffler and Silicon Graphics may not be used in any advertising or publicity relating to the software without the specific, prior written permission of Sam Leffler and Silicon Graphics.

You understand and acknowledge that any software module included in the Software may have utility with or be able to be called by other software and/or hardware, which Spielberg considers to be an unauthorised use of the Software. Accordingly, you agree that you will use such software modules only as part of the Software and not in conjunction with, or as part of, or as a component of other software and/or hardware which makes calls to such software modules.

Spielberg grants you the personal non-exclusive rights:

For a single-user version of the Software, to install and use the Software for internal purposes only on a single computer (the Software is considered in use when it is installed in the temporary memory, i.e. RAM, or the permanent memory, i.e. Hard Disk Drive).

For a multi-user version of the Software, to install and use the Software for internal purposes only for the number of computers or simultaneous users identified in the Installation Configuration sheet of the Software package (for example, if you have purchased a 5-User licence you may install the Software for simultaneous use by up to 5 Users on a network).

BACKUP COPY

You may make whatever copies you deem appropriate from the FileDirector "delivery" Compact Disc, the Programs, Example Files and any other promotional material that may be included thereon. The Application Manual, or any part thereof, may be reproduced in sufficient quantity to support only the number of users licenced to you and no more. You must reproduce and include on the backup copy the copyright notice and other ownership or proprietary legends that are on the original copy of the Software.

You may NOT make or attempt to make any copy whatsoever of the FileDirector Licence. ANY ATTEMPT TO COPY, TRANSFER OR RESTORE THE LICENCE MAY CORRUPT THE ENABLING LICENCE. The Licence, once enabled, represents the full purchase value of the licence to use the FileDirector Software. The enabled Licence can be manipulated ONLY by the commands within the FileDirector application.

RESTRICTIONS

You may not market, distribute or transfer the Software or the Documentation to others, or electronically transfer the Software from one computer to another over a network except as expressly provided herein.

You may not de-compile, reverse engineer, disassemble or otherwise reduce the code of the Software to a human perceivable form.

You may not modify, adapt, translate, rent, lease or loan the Software or the Documentation or create derivative works based on the Software or the Documentation.

OWNERSHIP AND COPYRIGHT

Spielberg, Microsoft, Microplex, Kofax, DevExpress, PDFTron and Pixel reserve all rights to their respective software modules of the Software and the Documentation. The Software and the Documentation is copyrighted. Unauthorised copying of the Software, including portions thereof, or the Documentation is expressly forbidden.

EXPORT CONTROL

You agree that the Software and Documentation will not be shipped, transferred or exported into any country or used in any manner prohibited by the United States Export Administration Act or any other applicable export control laws, restrictions or regulations of the countries involved.

SUPPORT AND UPDATES

Spielberg, Spielberg's subsidiaries or affiliates, their distributors and dealers are not responsible for maintaining or helping you to use the Software and the Documentation, excepting where agreements have been entered into between specific parties, i.e. Spielberg: Distributor, Distributor: Dealer, Dealer: End User.

No updates, fixes or support will be made available for the Software and Documentation other than by publishing such revisions on the Spielberg web site: http://www.spielberg.de or http://www.filedirector.com

Any updates, fixes or support will be made available on the said web site solely at the discretion of Spielberg, who is under no obligation whatsoever so to do.

LIMITED WARRANTY AND DISCLAIMER OF INDEMNITY

Limited Warranty. The Software and documentation is provided "as is" without warranty of any kind, either express or implied, including, but not limited to implied warranties of merchantability and fitness for a particular purpose. The entire risk as to quality and performance of the Software and documentations is with you. Should the Software prove defective you (and not Spielberg, Spielberg's affiliates, their distributors or dealers) assume the entire cost of all necessary servicing, repair or correction. Some states or jurisdictions no not allow the exclusion of implied warranties, so the above exclusion may not apply to you. This warranty gives you specific legal rights and you may also have other rights which vary according to state or jurisdiction.

Spielberg, Spielberg's affiliates, their distributors and dealers do not warrant that the functions contained in the Software will meet your requirements or that the operation of the Software will meet your requirements or that the operation of the Software will be uninterrupted or error free.

However, Spielberg or Spielberg's affiliates warrants a compact disc or diskette on which the Software is stored to be free from defects in materials and workmanship under normal use for a period of ninety (90) days from the date you purchased the same, as evidenced by a receipt or otherwise. Some states or jurisdictions do not allow limitations on duration of an implied warranty, so the above limitation may not apply to you.

CUSTOMER REMEDIES

Spielberg's entire liability and your exclusive remedy shall be the replacement of the Compact Disc and/or Diskette not meeting the LIMITED WARRANTY and which is returned to Spielberg or Spielberg's marketing affiliate, Spielberg Solutions Limited, with a copy of your receipt or otherwise. The LIMITED WARRANTY is void if failure of the Compact Disc has resulted from accident, abuse or misapplication of the software.

No liability for consequential damages. In no event shall Spielberg, or Spielberg's affiliates, their distributors or dealers be liable for any damages whatsoever (including without limitation, direct or indirect damages for personal injury, loss of business profits, business interruption, loss of business information, or other consequential or incidental damages) arising out of the software, the use thereof or inability to use the software even if Spielberg, Spielberg's affiliates, their distributors or dealers has been advised of the possibility of such damages. Some states or jurisdictions do not allow the exclusion or limitation of liability for consequential or incidental damages, so the above limitation may not apply to you.

Disclaimer of indemnity. Spielberg, Spielberg's affiliates, their distributors and dealers shall have no obligation to indemnify you against any claim or suit brought to you by a third party alleging that the Software or the use thereof infringes any intellectual property of such third party.

TERM

This agreement is effective upon the installation of FileDirector Server and Client and remains in effect until terminated. You may terminate this agreement by destroying the Software and any copy thereof. This agreement will also terminate if you fail to comply with any of the terms of this agreement. In addition to Spielberg enforcing its legal rights, you must then promptly destroy the Software and any copy thereof.

ACKNOWLEDGEMENT

By selecting the 'Yes, I accept the agreement' option during the software installation process, you acknowledge that you have read this agreement, understand it and agree to be bound by its terms and conditions. You further agree that this agreement is the complete and exclusive statement of agreement between you and Spielberg concerning the subject matter hereof, which supersedes any proposals or prior agreements, oral or written, and any other communication between you and Spielberg relating to the subject matter hereof. No amendment to this agreement shall be effective unless signed by a duly authorised representative of Spielberg.

Should you have any questions concerning this agreement, or if you desire to contact Spielberg for any reason, please write to your authorised supplier requesting that they pass your correspondence to Spielberg Solutions GmbH.

Table of Contents

Welcome to FileDirector 11

How Documents are Stored 11

Requirements 12

Client 12
WebScan/WebMail 12
Microsoft Edge ClickOnce Support 13
Google Chrome ClickOnce Solution 13
Mozilla Firefox ClickOnce Solution 13

Connection to the Server 14

Online/Offline 14
User Licences 15

Electronic Documents 16

How are eDocs stored in FileDirector? 16
How can eDocs be displayed? 16
Page selection when displaying eDocs 16
Capture of electronic documents 16
Append pages to existing documents 17
Insert pages into existing documents 17

The WebServer Desktop 19

Tabs 19
Inbox 20
Search 20
New Document 21
Dashboard 21
Document lists 21
Hit list 21
Full Text Search Results 23
Local List (WebScan/New Documents) 23
Inbox 23
Document viewer 24

First Steps 25

Open a Cabinet 25
Open Cabinet Manually 25
Document Type Views 25
Open Document Lists 26
Search Results List 26

Local Document List....26
Inbox....26
Closing Working Areas....26
Search in Cabinets....27
Search tools....27
Search Parameter....28
Search using index fields....29
Search using OR Combinations....29
Wildcard Searching....29
Full Text Search....30
Working with search results....30
Display of the hit list....30
Document display....31
Document Status....31
Archived....32
Read only....32
Select Documents/Pages....32
Create New Document....33
Create New Documents: Add....34
Create New Documents: Open WebScan....34

Document Display....35

About Documents....35
Different Viewers....35
TIFF/JPEG/Not Converted....35
PDF-Format/Converted to PDF....36
Open and display multiple documents....36
Toolbar (TIFF/JPEG/Not Converted)....37
Page Display Tools....38
Toggle thumbnails....38
Display whole page in the image display window....38
Fit width of page to the document display window....38
Display page in original size....38
Zoom in....39
Zoom out....39
Rotate page 90° counter clockwise....39
Rotate page 90° clockwise....39
Maximize document viewing area....39
Toolbar (PDF Documents/Converted to PDF)....39
Page Display Tools....40
The option to switch to Full screen mode can be found within the Menu.....40
Toggle thumbnails....40
Page transition....41
Layout....41
Rotate....41
Zoom in....42
Zoom out....42
Maximize document viewing area....42
Full screen....42

Search Using Index Fields 43

Search Parameters 43
- Search using OR Combinations 44
- Wildcard Searching 44
- Search in inverted commas 44
- Keyword lists 45
- Date entry 45
- Filing System Search 46
- Full Text Search 46

Full Text Search 47
- Searching multiple words using AND, OR, OR NOT 47

Check-In and Check-Out 48

Check In documents 48
- Mandatory fields during check-in 48
- Protected fields 49

Revisions 49
- How is a revision stored? 50
- Display Revisions 50
- Change Revision/ Check out 50
- Delete Revisions 50
- Print Revisions 51

Document Editing 52

Editing Document Index Data 52
Check-in edited documents 53
Cancel 53
Moving Document between Document Types 53
Delete Documents and Pages 54
- Delete single pages of a document 54
- Delete documents from server 54
- Undelete Documents (WinClient only) 55

Annotations 56

Edit Mode 57
Add Annotations 58
- Freehand 58
- Text tools 59
- Shape tools 59
- Eraser 63
- Signature 63
- Free text 65
- Comment 66
- Callout 66
- Stamp 66
- Rubber Stamp 67
- Crop Page 68

WebScan 69

Microsoft Edge ClickOnce Support 69
Google Chrome ClickOnce Solution 69
Mozilla Firefox ClickOnce Solution 69
Supported scanners 70
- Canon Scanners 70
- Epson Scanners 71
- Panasonic Scanners 71
- Plustek Scanners 71
- Samsung Scanner 71

Directory scan 71
Scanning Rights 72
- Work area: New Document 72
- Scan profiles 72
- Local scan profiles/Directory Scanner 72

Scan Profiles 72
- Change scanner settings 72

Local Scan Profiles 72
New document 73
Installation 74
Scanning documents 74
- Batch Scan 76
- Scan Single Pages 77
- Upload 78
- Verify and Check-In 79
- Indexing documents manually 79
- Check in documents 79

Print and Save Documents 81

PDF Toolbar (View Mode) 81
Print (PDF Documents/Displayed in PDF Format) 81
- Include comments 82
- Include annotations 82

Print (Print features of the browser) 82
- Printing documents (TIFF/JPEG display in original format) 82
- Print a page of a document 82
- Print Hit Lists 83

Save as File 83
- Save individual pages (only TIFF/JPEG display in original format) 83
- Save entire document 83

Save Selected Pages as PDF (Display in PDF-Format) 83

WebMail 85

Microsoft Edge ClickOnce Support 85
Google Chrome ClickOnce Solution 85
Mozilla Firefox ClickOnce Solution 85
Installation 86

Sending documents 87

Sending documents from the hit list by e-mail 87
File Format Selection 87
Attachment in PDF Format 87
Attachment in ZIP-Format 87
E-Mail with Download-Link 88
Entire Document 88
Single Pages (TIFF/JPEG only) 89

Ad Hoc Workflow 90

Setup (WinClient only) 90
Document receipt 90

Process Management 91

Send on a Process 91
Automatic Sending 91
Inbox 92
Document Receipt 92
Process actions 94
No action 94
Confirm view 95
Comment 95
Approve/Reject 95
Check user actions 95

Document Information 96

Document 97

Settings 98

General 98
Language 98
Hitlist page size 98
Show document type name in document tab 99
Show field values in document tab 99
Password 99
Current Password 100
New Password 100
Repeat Password 100
Change password 100

Welcome to FileDirector

In addition to the FileDirector WinClient, the FileDirector WebServer is an application to work with documents stored or to be stored in FileDirector Cabinets. Using the WebServer, not only standard tasks such as document scanning, import, retrieval and editing can be done.

In addition, the WebServer is used for advanced features such as process management.

How Documents are Stored

FileDirector stores documents in cabinets. There may be several cabinets created in an organisation; a user is only allowed to work with those cabinets to which they have been granted access.

Each filing cabinet can contain different document types. Index fields are assigned to these document types. In the process of archiving a document, the respective index fields can be filled with corresponding index data. These index information is used for a later retrieval.

Although users may have access to a cabinet, they are only able to work with the document types in a cabinet to which they have been granted access. Additionally, different rights can be granted per document type, a user may for example store documents in one document type but may only retrieve and display documents from another document type.

Documents scanned in black and white are stored as TIFF; coloured documents are stored as compressed JPEG files. In addition, most FileDirector built-in scanner drivers offer a conversion to PDF/A.

If electronic documents (EDocs) are archived, they are saved in their original format and can be viewed in FileDirector WinClient via an integrated viewer and in the FileDirector WebServer by temporarily converting them to PDF format - even if the original application is not installed on the search computer. FileDirector WinClient can be used to make changes to these documents, provided the original application (e.g. Word) is installed. In regular document types, changes are always saved in revisions, i.e. the original version of the respective document is retained.

Requirements

Client

FileDirector WebServer gives access to your documents on the intranet or internet. Clients can access WebServer using one of the following browsers:

- Microsoft Edge
- Mozilla Firefox
- Google Chrome
- Opera
- Safari
- Any W3C compliant browser

Note:
In order to use the full functionality of the FileDirector WebServer, it is recommended that you update your browser regularly. This also generally serves the security of your system when using the Internet.

WebScan/WebMail

The WebScan/WebMail Clients are distributed to clients as *ClickOnce* solutions and are started directly from the web browser. The following requirements must be met:

- Latest Microsoft .Net Framework 4.x or higher

One of the following browsers:

- Microsoft Edge
- Mozilla Firefox (Add-on: Microsoft .Net Framework Assistant)
- Google Chrome (Add-on: Click-Once for Google Chrome)

Notes
The browser add-ons can be acquired and installed through the respective browser's add-ons option. Additional help concerning the installation procedure can be found in your browser's help file.

Microsoft Edge ClickOnce Support

ClickOnce is supported.

You can check whether the support is activated on the respective system via *edge://flags/#edge-click-once* and select the preferred setting in the drop-down list.

> *Note*
> *For more information, also see:*
> *ClickOnce and DirectInvoke in Microsoft Edge | Microsoft Docs*

Google Chrome ClickOnce Solution

ClickOnce is supported in Google Chrome via 3rd party applications.

Example

ClickOnce for Google Chrome - Chrome Web Store

> *Disclaimer:*
> *External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.*

Mozilla Firefox ClickOnce Solution

ClickOnce is supported in Mozilla Firefox via 3rd party applications.

Example

https://addons.mozilla.org/de/firefox/addon/breez-clickonce/?src=search

Add the extension and restart the browser.


> *Disclaimer:*
> *External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.*

Connection to the Server

FileDirector WebServer is a browser application. Just connect to FileDirector as to other websites by typing in the URL into the browser address bar.

http(s)://[server name/server IP address]/FileDirector/Web.

Depending on the set-up authentication method, either a login screen is displayed or you are logged in automatically.



Online/Offline

Unlike FileDirector WinClient, FileDirector WebServer does not provide an offline mode.

User Licences

Users are assigned to one of the following FileDirector groups; *fd-admins*, *fd-scan*, *fd-scan-named*, *fd-user*, *fd-user-named* and *fd-web*.

Only as many users can connect to the FileDirector Server and logon as licences are available. After *20 minutes* of idle time (this is a default value and can be changed), a FileDirector WebServer session will automatically log off and free the licence for another user. The user is informed about a log off. It is possible to specify more users in the FileDirector groups than concurrent licences available. Therefore, it is possible, that a user cannot connect to the system because all licences are used. Logon will then only be possible once another user has logged off.

The groups *fd-scan-named* and *fd-user-named* should only contain as many users as named licences are available. The users specified here will always have access to the system; e.g. to scan, index and check in and retrieve documents.

Electronic Documents

How are eDocs stored in FileDirector?

Any electronic document that is not imported in TIFF or JPG format is saved as a single-page FileDirector document, even if the file itself contains multiple pages. If you want to display such a 'page' of a document, this page will be converted to PDF for display in the FileDirector WebServer.

How can eDocs be displayed?

EDocs are converted to PDF for display in the FileDirector WebServer. This means that a Word file with four pages, which was saved as a *.doc or *. docx file in FileDirector using the FileDirector OfficeLink, is displayed as a PDF document with four pages.

This conversion only affects the display in FileDirector WebServer. The document itself remains in FileDirector as a Word file.

Page selection when displaying eDocs

Scrolling through an electronic document is done by scrolling the mouse wheel or the scroll bar in the display area.

Capture of electronic documents

Electronic documents can be saved in FileDirector in different ways.


For the FileDirector WebServer, the upload option is available in the *New Document* workspace.

Append pages to existing documents

Pages can be attached to any document in the FileDirector, except for documents that have *Read Only* status. These documents have been checked out for editing by another user and can only be edited after they have been checked back in.


Note:
A requirement is, of course, that the logged-in user has the corresponding permissions.

In order to add pages or files to an existing document, you must first perform a search and open the corresponding document.




Now switch to the *Edit* mode in the *Document* tab via the corresponding icon in the control field.

Then select *Append Pages*.



Now a window opens in which you can choose whether you want to attach a new file to the existing document via *Upload* or using the functionality of FileDirector *WebScan*.




Insert pages into existing documents

Pages can be inserted into any document in the FileDirector, except for documents that have *Read only* status. These documents have been checked out for editing by another user and can only be edited after they have been checked back in.

Note:
A requirement is, of course, that the logged-in user has the corresponding permissions.

In order to be able to insert pages or files in an existing document, you must first perform a search and open the corresponding document.

Now switch to the *Edit* mode in the *Document* tab via the corresponding symbol in the control field.



Then select *Insert Pages*.




Now a window opens in which you can select whether you want to attach a new file to the existing document or scan it via FileDirector WebScan.

The selected file or the scanned pages are inserted above the selected and displayed page. It is not necessary to select the page by checkbox.

> *Note:*
> *Pages within EDocs can only be inserted if the document already consists of at least two EDocs.*

The WebServer Desktop

When opened, the WebServer only shows a toolbar. On the left, you see three icons for the different working areas and on the right you see *Settings* and a *Logout* icon. The three different areas are *Inbox*, *Search*, *New Document* and *Dashboard* (administrative interface). When you select an area, the corresponding tab opens.



Note:
For members of FileDirector licence group fd-web*, the working areas* Inbox *and* New Document *are not visible.*

Tabs

The control panel on the left-hand side of each tab is context-sensitive.

Inbox



When you select *Inbox* from the menu bar, the tab *Inbox* opens.

Within the tab *Inbox* you find all documents either sent to you through the FileDirector BusinessProcessManagement, an adhoc process or through the FileDirector WinClient feature *Send to…user*.

Icon	Function
	Open cabinet
	Document Info
	Revisions

Search



When you select *Search* from the menu bar, the tab *Search* opens.

Within the tab *Search* you will find several search options such as *Search*, *Extended search*, *Full text search* and the fields connected to a selected document type are displayed.

Icon	Function
	Open Cabinet
	Document Info
	Revisions
	Clear index fields
	Search
	Extended search



New Document




When you select *New Document* from the menu bar, the tab *Upload* opens.

In the upper left section of the control panel, you select the cabinet. Below that, you select the document type and see the corresponding fields for indexing before checking in a new document from the local list.

Icon	Function
	Open cabinet

Note:
The maximum file size for the upload via New Document is 2GB per file.
This limit does not apply to documents created via WebScan.

Dashboard



When you select *Dashboard* from the menu bar, the administrative interface of FileDirector Dashboard opens. The button is inactive until a cabinet was selected using one of the other areas *Inbox*, *Search* or *New Document*.

FileDirector Dashboard is implemented into and directly connected to FileDirector WebServer. It can provide information about utilisations within FileDirector BusinessProcessManagement and about values, connected to existing entries in FileDirector fields. The information is provided in diagram format, whereas the format and the shown information is adaptable.

Note
For further information, see also the separate FileDirector Dashboard Quick Guide.

Document lists

Document lists are shown within the context specific tabs. There are three different lists.

Hit list



The hit list contains all results of a search in FileDirector. The hit list is displayed after a search in a cabinet. In case the list is already displayed, it is updated when performing another search.

When the search is performed on a single document type, the hit list contains only documents of that document type. When the search is performed on all document types available for the logged-in user, the hit list is sorted by document type. You can switch between the document types of the hit list through a drop-down menu. The drop-down menu shows the name of the selected document type and in brackets, the number of hits within it.

The hit list shows the status for each document on the list. This provides a helpful overview whether a document is in use and checked-out by another user or editable.

The hit list can be sorted in several ways. The hit list can be sorted ascending depending on the values in a column. Just click on the column header and the list is sorted ascending depending on the values of the column you selected.

A double click with the left mouse button on an entry opens the document in a separate tab *Document*.

Icon	Function
	No thumbnails
	Thumbnails
	Thumbnails only
	Select all pages
	Deselect pages
	Toggle selected pages
	First page
	Previous page
	Next page
	Last page
	Delete
	View entire document
	Follow document link

Icon	Function
	Save as...
	E-Mail

Full Text Search Results

When performing a full text search, the results will be displayed in the hit list of the *Search* tab. Each record shown in the list refers to a specific page of a document, for multi-page documents and the page number will be shown.

Additionally, a ranking is displayed for each page as to the relevance of the page in relation to the search performed.

Electronic format documents, such as Microsoft Word documents and PDF's are included in the search, however, when selecting a document to view, page 1 of the document will always be displayed.

Local List (WebScan/New Documents)



The list Local Documents, known from FileDirector WinClient, is in FileDirector WebServer the tab *New Document* and its list, located on bottom of the right part of the tab.

This list contains documents, created within the active browser session. These documents are either created by using option *Add* or *WebScan*.

> *Note:*
> *Documents, shown within the tab New Documents are neither stored nor uploaded to FileDirector when the user logs out from FileDirector WebServer, the browser or the browser tab is being closed.*

Inbox



The Inbox is shown in a separate tab within FileDirector WebServer.

This list provides documents, sent by other users of FileDirector, an FileDirector ad hoc process or by FileDirector BusinessProcessManagement, when the logged in user is defined within a user action step.

Document viewer

The selected document is displayed within the viewer in the document tab.

If not changed within the configuration file of FileDirector WebServer, only eDocs are temporarily converted to PDF for display purposes.

The settings within the *web.config* of FileDirector WebServer are global settings and should only be changed by a trained administrator of FileDirector.

> *Note:*
> *The default path of FileDirector WebServer configuration file* web.config *is located on the FileDirector server in:*
> *C:\Programs\Spielberg Solutions GmbH\FileDirector ConfigUtility Web*
> *or*
> *C:\Programs (x86)\ Spielberg Solutions GmbH\FileDirector ConfigUtility Web*

First Steps

Open a Cabinet

After the log-in, you see the toolbar of FileDirector WebServer.

Selecting either *Inbox*, *Search*, *New Document* opens the corresponding tab in FileDirector WebServer.

The cabinet is selected within the tab.

Open Cabinet Manually

You can switch the cabinets, manually. Select a cabinet within the control box of the active tab and choose a cabinet from the displayed list.

Icon	Function
	Select cabinet

Document Type Views

Using Views, allows to configure individual settings for users or groups regarding the way fields are displayed within the control box on the left-hand side of the tab or on the hitlist. A user with administrative rights in FileDirector Enterprise Manager on the corresponding cabinet can do that configuration.

Views can be used to define which fields of a document type are displayed and in what order. In addition, group separators and separators can be used to group the fields displayed in the control box.

Open Document Lists

The different document lists are context sensitive.

Search Results List

The list of Search results is displayed after a successful search operation on the server has been performed. If the Search Results list was already open, it is automatically refreshed. The Search Results can only be displayed when the WinClient is connected to the FileDirector server.

Notes
A setting on the server limits the maximum number of documents to be returned to the Search Results list to 1000 entries. This default value can be changed by an administrator
See the Installation Guide

Local Document List

The list of local documents is only available in the tab *New Document*. Newly created documents are automatically added to this list.

Inbox

When you select the corresponding working area from the toolbar, the tab *Inbox* opens and, if documents are available for you, shows these documents on a list

For each document the document status is displayed giving a quick overview, which documents are available and which documents have been checked out by other users or the current user.

For each document on the list an action can be specified by process management. This can be a task, such as Approve/Reject, Comment or View. This task must be carried out by the relevant user for a document to move to the next process step.

The specified action is shown at the start of each line as well as the index values, by whom and when a document was sent to you and the number of pages.

Documents are displayed by double clicking on the relevant list record.

Closing Working Areas

Each of the tabs be closed by pressing the *X*, top right of the tab.

Search in Cabinets


Select *Search* from the toolbar and the tab *Search* opens.

A search can be performed within a specified document type or over all document types of a cabinet that the logged-in user has rights to.

Documents can be searched for using the index data entered against each document, or by searching the content of the documents themselves by using full text search. For full text search, the OCR Server option is required, and must be configured to OCR the relevant Document Types.

> *Notes*
> *A setting on the server limits the maximum number of documents to be returned to the Search Results list to 1000 entries. This default value can be changed by an administrator*
> *See the Installation Guide*

Search tools



In the upper left area, the cabinet can be selected. Below, the search tools are located.

Icon	Function
	Clear index fields
	Search
	Extended search



Clear index fields

This tool will clear any information shown within the index fields. This option always clears the entries of all index fields, shown below the search tools, at once.

Using this tool within the *Search* tab, it does not edit a documents index data.

Document Type Search



This performs a search within the selected Document Type, using the information entered into the index fields.

Extended Search/Cabinet Search



This performs a search across all the Document Types the user has rights to, using the data entered into the common index fields.

Full Text Search



Searching for documents by their content can be performed by selecting the *Full text Search* tool. After entering the relevant word or phrase, the search can be performed within the selected Document Type, across all Document Types the user has rights to by selecting the appropriate tool available above the Full Text Search data entry field.

To be able to use *Full Text Search*, the documents must have had OCR performed on them on the FileDirector Server using the optional OCR Server module.

Search Parameter

When searching using index fields a search parameter can be selected for each field that specifies the search conditions.

Parameter	Description
*	Wildcard search
=	Exact match
>	Greater than value specified
>=	Greater or equal value specified
<	Smaller than value specified
<=	Smaller or equal value specified
()	Empty value search
<>()	Search for all documents with index field filled

Parameter	Description
.--.	Range search With this option two values have to be specified, a lower and an upper limitation for the range.
<>	Not equal search

Search using index fields

To search in a Cabinet, using index fields, select *Search* from the top bar, then specify the cabinet and the document type within the search tab and enter the search criteria and if appropriate, set the search parameter.

Click the *Search* button to perform the search within the selected document type or the *Extended Search* button in order to perform a comprehensive search over all document types.

The number of documents found and listed in the Search Results list depends on the search criteria entered.

Example

A user searches with a unique document number (e.g. invoice number); only one document will be found and displayed.

If the search parameter is changed to *Greater or equal*, all documents with numbers greater than the value specified will be listed.

Search using OR Combinations

OR function:

If you are unsure how an index has been entered into an index field the search can be performed with an OR combination. A search performed with *Grey OR Gray*, will return all documents containing the word *Grey* or *Gray* in the selected index field.

Example

A document has been filed under the name *Grey*. If you are not sure how the name is spelled, you can enter several possibilities, such as:

Grey OR Gray OR Graye

Wildcard Searching

The search parameters which can be set in the drop down list in front of the index fields can be used as input assistance. Searching with wildcards such as an asterisk * is also possible.

Example

A search using *Mi* will not return *Smith*, it will only return all documents beginning with *Mi.* In order to have *Smith* returned, the search must be performed with **Mi** or *Smi**

The asterisk can be used in the middle of a word – e.g. when searching *Me*er* all names including *Meyer* and *Meier* are listed.

> *Notes:*
> *Using an asterisk * as a wildcard is only valid when SQL server 2000 or above is used as database server Using Oracle, a % character must be used for wildcard searches.*

Full Text Search

The content of documents can be searched in order to retrieve a document which contains certain words or phrases. This can only be performed when the documents have been processed using the optional FileDirector OCR Server module, which can be configured to process selected Document Types. Depending on the configuration, the full text information is only available for retrieval after a scheduled process has added the full text information to the database.

To perform a full text search, select Search from the toolbar. Enter the word or phrase you are searching for into the full text field above the index field and select the search icon in front of the full text search field. The full text search is an extended search and performed on all available document types of a cabinet.

Working with search results

The list of Search results is displayed after a successful search operation on the server has been performed. If the Search Results list was already open, it is automatically refreshed. The Search Results can only be displayed when the WinClient is connected to the FileDirector server.

> *Notes*
> *A setting on the server limits the maximum number of documents to be returned to the Search Results list to 1000 entries. This default value can be changed by an administrator*
> *See the Installation Guide*

Display of the hit list

The hit list in FileDirector WebServer provides thumbnails for the selected document.

The thumbnails can be deactivated in the toolbar shown above the list. This increases the maximum displayed width to provide more index information for each document on the list.

The following options are available:

Icon	Function	Icon	Function
	No thumbnails		Thumbnails
	Thumbnails only		

Switch document type (Extended search)

When performing an *Extended search*, the results can be in several different document types.

A drop-down menu allows to switch between the different document types. The drop-down menu contains the name of the found document types and, in brackets, the number of hits within this document type.

Example



In this case are four hits in document type *Order confirmation*.

> *Note:*
> *The results contain only hits of document types and documents, the logged in user has rights to.*

Document display

A document can either be opened by a double click on the hit list or by selecting the document on the hit list and select the icon *View entire document*.

When a document is selected by a double click on the hit list, the name of the tab depends on the index value, the double click was performed on.

Using the icon *View entire document*, the tab is always labelled *Document*.

Icon	Function
	View entire document

Document Status

Each document on a document list has a defined status. The status shows whether a document is stored locally on a workstation or on the FileDirector server. If a document is being edited by another user, it is displayed with a *read only* status and cannot be edited by another user at that time.

Archived

Archived denotes that a document is checked in to the FileDirector server.

A document with an *Archived* status is downloaded from the server if it is displayed on the search list.

Read only

Documents with a status of *Read only* are currently checked out by another FileDirector user. These documents can be displayed but cannot be checked out in order to be changed.

> *Notes*
> *In certain circumstances (for example: checked out documents are stored on a hard disk which is damaged) this status can be reset by an administrator by selecting* Undo Check-out *in FileDirector WinClient.*

Select Documents/Pages

The hit list in FileDirector WebServer provides thumbnails for the selected document with checkboxes for each page. Hereby documents or individual pages can be selected for the features *Save as…* or *Email*.

Icon	Function	Icon	Function
	Save as…		Email

All documents in a hit list can be selected by a single click on the checkbox in the title bar of the search result list.

Through the icons either all pages of a selected document can be ticked off, the page selection can be cleared or the selection can be toggled.

Icon	Function	Icon	Function
	Select all pages		Deselect all pages
	Toggle selected pages		

Entire Documents

For the selection of one or multiple documents including all pages, tick the corresponding checkbox or checkboxes on the left-hand side of the hitlist.

Note:
Only documents, stored within the same document type can be selected.

Selected Pages

For the selection of individual pages of one or multiple documents, the *Thumbnails* must be enabled for the hitlist.

Icon	Function	Icon	Function
	Thumbnails		

After that, the thumbnails and a checkbox below each thumbnail of the currently selected document are displayed on the left-hand side of the hitlist. By ticking the corresponding checkbox, a page is selected. It is also possible, selecting individual pages of multiple documents.

Icon	Function	Icon	Function
	Select all pages		Deselect all pages
	Toggle selected pages		

Note:
Only pages of documents, stored within the same document type can be selected.
In case of multipage EDocs, only a thumbnail of the first page is displayed. It is not possible to select individual pages.

Create New Document

After selecting *New Document* from the FileDirector WebServer toolbar, a new tab *Upload* opens which contains the following context-sensitive toolbar:

Icon	Function	Icon	Function
	New Document		Add
	Open WebScan		Delete page
	Check-in		


New documents are either created by the *Upload* toolbar icon *Add* or *Open WebScan*.

Create New Documents: Add

Through *Add* files are uploaded from the file system and stored in FileDirector.

The upload of the elements is realised through a pop-up window. The browse button opens a window where you can select the file or files you want to upload.

Afterwards the selected files are uploaded by *Upload file* to the local list of FileDirector WebServer



When the action is repeated, the next file is added to the previously uploaded files. For each added EDoc another thumbnail is generated for the document.

When a document is completed and another document should be added to the local list, you have to select *New Document* from the toolbar of this tab to close the previous document and open a new one.

> *Note:*
> *The maximum file size for the upload via New Document is 2GB per file.*
> *This limit does not apply to documents created via WebScan.*

Create New Documents: Open WebScan

Through the option *Open WebScan*, new documents can be created by scanning either with previously, in FileDirector Enterprise Manager, set up scan profiles or local scan profiles

FileDirector WebScan opens in a separate window.

Document Display

About Documents

A document within FileDirector is either a one page or a multipage document. One page of a document can be either a scanned page or an electronic format document, such as an MS Word or Excel file, or a PDF file

The display options in FileDirector WebServer are powerful. TIFF and JPEG image formats are displayed in the original by default, eDocs are temporarily converted to PDF format for display in the WebServer by default.

A single FileDirector document can contain different formats, for example a scanned page and a Word document.

Each proprietary document format or electronic document is displayed in FileDirector as one page of a document, even if it contains many pages within itself.


Different Viewers

It is quite simple to check whether a document is displayed in its original format or using the PDF viewer.

The respective options use different toolbars.


TIFF/JPEG/Not Converted

Only a single toolbar is displayed above the document.



PDF-Format/Converted to PDF

Two toolbars are displayed above the document.




Open and display multiple documents

FileDirector WebServer can display multiple documents in separated tabs.


After running a search within the *Search* tab and selecting a document from the hit list, each selected document is displayed in a separate, new tab.

The tab name depends on the value selected from the search result list.

Example1




The Delivery note number was selected, the tab is labelled 54321:



Example 2

The customer name was selected, the tab is labelled Our Customer:



Toolbar (TIFF/JPEG/Not Converted)



When opening a document (TIFF/JPEG or not converted to PDF) for display, the default setting shows the thumbnails of the pages and the first page. There are other views to choose from.

Icon	Function	Icon	Function
	Toggle thumbnails on/off		Select all pages
	Deselect all pages		Toggle selected pages
	Full screen		Fit all
	Fit width		Original size
	Zoom out		Zoom in
23%	Zoom factor in percentage		Rotate left
	Rotate right		First page
	Previous page		Next page
	Last page	1/2	Current page
	First document (on the hit list)		Previous document

Icon	Function	Icon	Function
	Next document		Last document (on the hit list)
	Save as...		E-Mail

Page Display Tools

The display of a document within the document tab, can be changed, for example by zoom and rotation. The display tools are available on the toolbars

Some or all of the display tools may not be available when displaying electronic documents.

Toggle thumbnails



The button Thumbnails allows to toggle the thumbnails of the displayed document on or off.

It can be easily scrolled through the thumbnails of a document by using a mouse wheel.

Below each thumbnail, a checkbox is displayed. One or several pages can be selected through this checkboxes e.g. to attach the selected pages to an email.

Display whole page in the image display window



Select *Fit all* on the toolbar to display the whole page within the display area.

Fit width of page to the document display window



Select *Fit width* on the toolbar to fit the width of the document to the size of the display window.

Display page in original size



Select Original size on the toolbar to display the document at its maximum size zoom level. When displaying TIFF or JPEG files, each pixel of the image is displayed as one screen pixel.

Zoom in



This tool will increase the zoom factor, making the displayed document larger.

Zoom out

This tool will decrease the zoom factor, making the displayed document smaller.

Rotate page 90° counter clockwise



Selecting *Rotate left* will rotate the displayed page 90° counter clockwise based on the current view. This is also selectable by right-clicking on the document display window.

Rotate page 90° clockwise



Selecting *Rotate right* will rotate the displayed page 90° clockwise based on the current view. This is also selectable by right-clicking on the document display window.

Maximize document viewing area



With this option, the page can be displayed in a new browser tab. This tab does not contain the toolbar of FileDirector WebServer to maximize the document viewing area. The index information is still visible.

Toolbar (PDF Documents/Converted to PDF)



When opening a document (TIFF/JPEG or not converted to PDF) for display, the default setting shows the thumbnails of the pages and the first page. There are other views to choose from.

Icon	Function	Icon	Function
	Panel		View controls

Icon	Function	Icon	Function
	Pan		Select
	Zoom out (*Ctrl -*)		Zoom in (*Ctrl +*)
100 %	Zoom (Fit to width, Fit to page, Marquee Zoom)		
	Search		Full screen, Download, Print

Page Display Tools

The display of a document within the document tab, can be changed, for example by zoom and rotation.

The corresponding options can be accessed via *View controls* options.

The option to switch to *Full screen* mode can be found within the Menu.

Toggle thumbnails



Using the button *Panel*, it is possible to toggle the thumbnails of the displayed document on or off.

It can be easily scrolled through the thumbnails of a document by using a mouse wheel.

Below each thumbnail, a checkbox is displayed. One or several pages can be selected through *Ctrl+Left Mouse button*.

Page transition

Icon	Description
	For multi-page documents, the option *Page by page* shows only the current page, regardless of the selected zoom.
	For multi-page documents, the option *Continuous* displays all or part of several pages of a document, depending on the zoom selected.

Layout

Icon	Description
	The option *Single* always shows only the currently selected page for multi-page documents.
	The option *Double* displays the current and the following page next to each other for multi-page documents.
	Cover

Select *Single Double Cover width* on the toolbar to fit the width of the document to the size of the display window.

Rotate

Icon	Description
	Selecting *Counterclockwise* will rotate the displayed page 90° to the left, based on the current view.
	Selecting *Clockwise* will rotate the displayed page 90° to the right, based on the current view.

Zoom in



This tool will increase the zoom factor, making the displayed document larger.

Zoom out



This tool will decrease the zoom factor, making the displayed document smaller.

Maximize document viewing area



With this option, the page can be displayed in a new browser tab. This tab does not contain the toolbar of FileDirector WebServer to maximize the document viewing area. The index information is still visible.

Full screen

You will find the option to switch to *Full screen* mode under the *Menu*.

Here the entire area of the screen is used for the *display* and the *toolbar*.

Search Using Index Fields

To search using index fields in a Cabinet, select the *Search* tab in the control panel, then specify the document type and enter the search criteria and if appropriate, set the search parameter.

Click the *Search* button to perform the search within the selected document type or the *Extended Search* button in order to perform a comprehensive search over all document types.

The number of documents found and listed in the Search Results list depends on the search criteria entered. If for example, the user searches with a unique document number (e.g. invoice number); only one document will be found and displayed.

If the search parameter is changed to *Greater or equal*, all documents with numbers greater than the value specified will be listed.

Search Parameters

When searching using index fields a search parameter can be selected for each field that specifies the search conditions.

Parameter	Description
*	Wildcard search
=	Exact match
>	Greater than value specified
>=	Greater or equal value specified
<	Smaller than value specified
<=	Smaller or equal value specified
()	Empty value search
<>()	Search for all documents with index field filled

Icon	Description
.--.	Range search With this option two values have to be specified, a lower and an upper limitation for the range.
<>	Not equal search

Search using OR Combinations

OR function:

If you are unsure how an index has been entered into an index field the search can be performed with an OR combination. A search performed with *Grey OR Gray*, will return all documents containing the word *Grey* or *Gray in the selected index field*.

Example

A document has been filed under the name *Grey*. If you are not sure how the name is spelled, you can enter several possibilities, such as:

Grey OR Gray OR Graye

Wildcard Searching

The search parameters which can be set in the drop down list in front of the index fields can be used as input assistance. Searching with wildcards such as an asterisk * is also possible.

Example

A search using *Mi* will not return *Smith*, it will only return all documents beginning with *Mi.* In order to have *Smith* returned, the search must be performed with **Mi** or *Smi**

The asterisk can be used in the middle of a word – e.g. when searching *Me*er* all names including *Meyer* and *Meier* are listed.

Notes
*Using an asterisk * as a wildcard is only valid when SQL server 2000 or above is used as database server Using Oracle, a % character must be used for wildcard searches.*

Search in inverted commas

To ensure that a search in the WinClient or WebServer is always performed with quotes around the search text, the following entry can be added to the FileDirector server web.config ("0" = off, "1" = on):

<add key="FDServer.SetQuotedIndexSearch" value="1" />


Notes
This can only be carried out by a user with administrative privileges to the FileDirector Server

Keyword lists

When an index field has been set to use keywords the keyword list entries can be selected directly.

Fields, configured as keyword list are displayed with a drop-down icon at the end.

Example




Date entry


When a date is to be entered into a field, configured as date field, a calendar opens next to the index field and the relevant date can be selected.

The Calendar can be displayed by clicking on the icon at the end of the date field.

Example




Filing System Search




When the Cabinet has been configured to use the Filing System, the document types and selected index fields are displayed in a tree structure. Searches within the *Search* tab can be performed by selecting a tree node and selecting *Search*If the node has sub-nodes, these will be included in the search by default. Setting the Explorer-like search option will restrict the search to the selected node only.

Document type seleted



Document type not seleted



Full Text Search



Searching for documents by their content can be performed by selecting the *Full text Search* tool. After entering the relevant word or phrase, the search is performed within across all Document Types the user has rights to by selecting the appropriate tool, available to the left of the Full Text Search data entry field.

To be able to use Full Text Search, the documents must have had OCR performed on them on the FileDirector Server using the optional OCR Server module.

Full Text Search

The content of documents can be searched in order to retrieve a document which contains certain words or phrases. This can only be performed when the documents have been processed using the optional FileDirector OCR Server module, which can be configured to process selected Document Types. Depending on the configuration, the full text information is only available for retrieval after a scheduled process has added the full text information to the database.

To perform a full text search, select *Search* in the control panel. Select the Document Type and activate the text field, which is used to enter search information by selecting the *Full text search* tool. To start full text search enter the word(s) and perform the search by clicking the tool to the right of the field.

Searching multiple words using AND, OR, OR NOT

When you search for multiple words you need to connect the entries in the search field.

AND - function:

When entering *Robert AND Mueller* in the full text search field, all pages are found containing BOTH terms.

OR function:

If invoices and credit notes are stored in a Document Type, searching for *invoice OR credit*, will return all documents containing the word *invoice* or *credit*.

OR NOT function:

When looking up an. *invoice OR NOT Mueller*, all *invoices* are listed NOT containing the name *Mueller*.

Check-In and Check-Out

New documents, created with FileDirector WebServer, are stored temporarily and locally within the active browser session on the workstation and shown in the list of the *Upload* tab.

They are not available for other users until they have been checked-in to the FileDirector server. Once checked-in, the document is stored in the cabinet and is available for retrieval by other users.

When a document, which is stored in a Cabinet, is edited it is checked out for a short time. FileDirector ensures that only the user who has checked-out the document can change it; however, a checked out document can be viewed by other users. Each change of a document is only stored in the Cabinet and available for other users when the document is checked-in again after the changes have been made.

Check In documents



Documents, created with FileDirector *WebScan* or the option *Add* are stored locally on the workstation and are not stored in the FileDirector cabinet yet. They are shown on a list within the tab *Upload*.

Select *Check-In* to upload the selected document to FileDirector server. The icon is on the toolbar within the *Upload* tab.

When checking-in, the document is sent to the FileDirector server, where it is then available for retrieval by other users.

Mandatory fields during check-in

When mandatory fields have been specified, the index must match the field properties before the document can be checked-in. There are several types of mandatory fields.

Empty not allowed

Document cannot be checked in, if field is empty. In the Upload status display of the Windows Client, an error message will appear and indicate which field must not be empty.

Must be full

If this option is set, all characters of the specified length must be entered. If the index entered does not meet the specified requirements, an error message appears in the *Upload* status.

Date

The value entered into the field must be a valid date when this option is selected.

Date (not in future)

The value entered into the field must be a valid date, and must be the current or past date when this option is selected

Checksum algorithms

Checksums with different algorithms can be specified for specific requirements. The following checksums are supported:

Checksum *ISBN*, *EAN-13*, *Mod2*, *Mod10*, *Mod11*, *Mod11.1*, *Mod11.2*, *11-Check*, *CPF* and *CNPJ*.

When data is entered into this field, the content is checked using the relevant algorithm and is either accepted or rejected.

IBAN

The International Bank Account Number (IBAN) is an internationally agreed system of identifying bank accounts across national borders to facilitate the communication and processing of cross border transactions with a reduced risk of transcription errors.

When data is entered into a field set for IBAN, the content is checked and is either accepted or rejected

If a document is not checked-in due to mandatory field settings, an appropriate hint about the incorrect index appears in a pop-up window.

Protected fields

Protected fields cannot be changed. They are greyed out and inactive in WebServer after a document has been checked-in. A date field with an automatic date setting, for example, can always be protected. A manual entry of index can be protected after check-in so that the index cannot subsequently be changed. The configuration of protected fields is carried out by an administrator user in FileDirector Enterprise Manager.

Example



In this case, the FileDirector field Customer number is protected In Revision.

A customer number was entered when creating the document and uploading it. Now, the value can't be changed when editing the document.

Revisions

All changes on documents in FileDirector are by default stored as revisions. It is not possible to perform a change to a document without storing the changes as revisions, unless a

document type has been configured in FileDirector Enterprise Manager by an administrator to disable revisions.

How is a revision stored?

In revisions of scanned documents which are stored as *.tif or *.jpg files only the changes, not the complete document is stored as revision. If pages are appended, they are stored as additional *.tif or *.jpg files.

When electronic documents are changed they are stored as a complete copy of the document.


Display Revisions



The displaying of revisions is protected and has to be granted as a right. To display the revisions click the *Revisions* icon, which is shown on the left-hand side of the documents tab.

From the pop-up window, you can select and display the different revision in order to recall the document changes. Changes to the document indexing are also stored as a revision.

> *Note*
> *If a previous revision of a document is displayed, the number of the revision is shown in brackets in the tab.*



Change Revision/ Check out

Only the most recent revision can be changed.

Even if a user selects an older revision from the list and edits the index values of this revision, the changes are stored as a new revision and the values of the selected, older revision are not changed.

Delete Revisions

Revisions can't be deleted.

Print Revisions

If documents are converted to PDF for display within the FileDirector WebServer, the print functionality is available within the WebServer. First select the desired revision. To print individual pages, select them accordingly under Print.

Document Editing

Editing of documents will depend always upon the rights of the user.

The index information associated with a document can be added and changed and single pages of a document can be deleted or whole documents can be marked as deleted.


Editing Document Index Data



Index information stored with a document, can be added or edited at any time, provided that the document is not checked-out by another user. The relevant user must have rights to modify documents.


Select the document to be edited in the document list.

The editing of index data is carried out using the *Control panel* of the respective document tab, which displays the index information for the current document.



Select *Edit* in the control panel of the corresponding document tab. Select the document type. The index fields relevant for the document type are displayed. New index data can be entered into the fields or existing index data can be changed.

Only the index fields of the document type, selected in the drop-down menu, are available for editing.



Check-in edited documents

Click on the *Check-In* tool in order to carry out the changes.

Each change of a document, which has been already checked-in to a document type, is stored as a revision, unless the document type has been configured in FileDirector Enterprise Manager using the option *Disable revisions*.


Cancel

Click on the *Cancel* tool in order to discard all changes.


Moving Document between Document Types

Select the document from the document list.


Select *Edit* in the control panel of the corresponding document tab.



Select the new target document type from the drop-down menu, displayed above the index fields.



The current document type is marked blue and the selected target document type is marked grey, when scrolling through the list.



After selecting the new target document type, the process must be finished by a Check-in.

See also:
Check-in edited documents.

Delete Documents and Pages

Individual pages of document can be deleted or complete documents can be marked as deleted.

Delete single pages of a document

Open the document with a double click on the hit list of the Search tab. Select *Edit* from the control box of the *Document* tab. Select the checkbox, on the right-hand side, under the thumbnail of the page you want to delete and select *Delete pages* from the control box.

Delete documents from server

If a document with a status of *Archived* is deleted from the *Search* list, the document is marked as deleted by the FileDirector Server, and will not be returned in any searches. Documents with a status of *Read only* are checked out by another user and can't be deleted.

Select the checkbox of the documents to be deleted on the hit list of the Search tab and click on *Delete* on the toolbar.

Undelete Documents (WinClient only)


If a document has been deleted, a flag is set in the database, marking the document as deleted. Deleted documents can only be shown in FileDirector WinClient, using *Info Search*.

Annotations

Annotations can be added to **.PDF* pages of a document. These annotations do not change the original document and are displayed as an overlay of the original image.

When annotations are added to a page, the document is treated as if it is revised. After adding annotations to a page a document can be checked-in to the cabinet again, creating a new revision.

Changing annotations is only allowed when the specific right is set. In this way for example text parts of pages can be hidden by putting a white or black area over them which cannot be moved by certain other users.



Note:
The toolbars shown below are only displayed for PDF documents.

PDF Toolbar (View Mode)




Icon	Function	Icon	Function
	Panel		View controls
	Pan		Select
	Zoom out (*Ctrl -*)		Zoom in (*Ctrl +*)
100 %	Zoom (Fit to width, Fit to page, Marquee Zoom)		
	Search		Full screen, Download, Print

Edit Mode



Select the document to be edited in the document list.

Select *Edit* in the *Control panel* of the corresponding document tab.



After the annotations were added, the changes must be confirmed by using *Check-in* in the *Control panel* of the corresponding document tab.



Add Annotations

The multiple options of annotations are displayed in the toolbar after the *Edit* was selected from the Control panel of the corresponding PDF document.

Extended PDF Toolbar (Edit Mode)




Icon	Function	Icon	Function
	Freehand		Text tools
	Shape tools		Eraser
	Signature		Free text
	Comment		Callout
	Stamp		Rubber Stamp
	Crop Page		

Freehand



The tool *Freehand* offers a range of colours to select from. Also, *Opacity* and *Thickness* can be defined, using sliders.




Text tools



The tool *Text tools* offers a range of colours to select from. The drop-down menu also provides the options *Underline*, *Squiggle* and *Strikeout*

The *Opacity* can be adjusted, using sliders.



Shape tools




The *Shape tools* offers a range of different shapes to select from a drop-down menu.

Rectangle




The option *Rectangle* offers a range of further settings in a drop-down menu. Included are options for *Fill color*, *Opacity*, *Thickness* and two different options for *Style* (*Border*) – *Solid* and *Cloudy*.




Ellipse

The option *Ellipse* offers a range of further settings in a drop-down menu. Included are options for *Border color*, *Fill color*, *Opacity* and *Thickness*.



Line


The option *Line* offers a range of further settings in a drop-down menu. Included are options for colour, *Opacity* and *Thickness*.



Arrow




The option *Arrow* offers a range of further settings in a drop-down menu. Included are options for colour, *Opacity* and *Thickness*.



Polyline




The option *Polyline* offers a range of further settings in a drop-down menu. Included are options for colour, *Opacity* and *Thickness*.




Polygon

The option *Polygon* offers a range of further settings in a drop-down menu. Included are options for *Border color*, *Fill color*, *Opacity* and *Thickness*.



Cloud

The option *Cloud* offers a range of further settings in a drop-down menu. Included are options for *Border color*, *Fill color*, *Opacity* and *Thickness*.



Eraser


The option *Eraser* offers additional options for *Opacity* and *Thickness*.



Signature

The tool *Signature* offers three options, Draw, Type and Upload.


Draw


Draw
Type
Upload
Clear
Sign here
Save signature
Create

Type



Draw
Type
Upload
(no name)
(no name)
Save signature
Create

Upload




Free text

The tool *Free text* offers a range of colours to select from. *Opacity*, *Thickness* and *Text Size* can also be defined, using sliders.




Comment



The tool *Comment* offers a range of colours to select from. The *Opacity* can also be defined by using a slider.

Callout



The tool *Callout* offers a range of colours to select from. Also, *Opacity* and *Thickness* can be defined, using sliders.

Stamp

With the tool *Stamps* you can access the stamps that have been defined and made available in the FileDirector Enterprise Manager under *Stamps*.

To do this, click on the *Stamp* button and select the page and then the position for the stamp with the mouse pointer. After you have selected the position by mouse click, the selection of available stamps appears.

Now you can position the stamp by clicking and dragging.

Style



The *Opacity* can be set via the toolbar *Style* below the stamp.



Rubber Stamp



The tool *Rubber Stamp* offers a range of colours to select from. Also, *Opacity* and *Thickness* can be defined, using sliders.



Crop Page



The tool *Crop Page* offers a range of colours to select from. Also, *Opacity* and *Thickness* can be defined, using sliders.

WebScan

The FileDirector WebServer allows pages to be saved in new documents or added to existing documents in several ways. Different scanners are supported without additional driver installation. Black and white, greyscale and colour documents can be created, depending on the capabilities of the scanners.

In addition, FileDirector WebServer offers the use of local scan profiles if no scan profiles previously defined in Enterprise Manager are available for the logged-in user. For this purpose, FileDirector WebScan searches for locally connected scanners and makes them available to the user as temporary scan profiles.

Microsoft Edge ClickOnce Support

You can check whether the support is activated on the respective system via *edge://flags/#edge-click-once* and select the preferred setting in the drop-down list.

Note
For more information, also see:
ClickOnce and DirectInvoke in Microsoft Edge | Microsoft Docs

Google Chrome ClickOnce Solution

ClickOnce is supported in Google Chrome via 3rd party applications.

Example

ClickOnce for Google Chrome - Chrome Web Store

Disclaimer:
External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.

Mozilla Firefox ClickOnce Solution

ClickOnce is supported in Mozilla Firefox via 3rd party applications.

Example

https://addons.mozilla.org/de/firefox/addon/breez-clickonce/?src=search

Add the extension and restart the browser.

Disclaimer:
External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.

Supported scanners

The support of a scanner depends on the available drivers. Many Canon, Epson, Panasonic, Plustek and Samsung drivers are integrated in FileDirector. Other scanners can be used via TWAIN.

FileDirector WebServer supports many Canon, Epson, Panasonic, Plustek and Samsung Document Scanners directly without additional drivers, including the following. Other drivers may be added from time to time.

Canon Scanners

CR-180 (Cheque-Scanner)
DR-2010C
DR-2050C
DR-2080C
DR-2510C
DR-2580C
DR-3010C
DR-3020
DR-3060
DR-3080C
DR-3080CII
DR-4010C
DR-5010C
DR-5020
DR-5060F
DR-5080C
DR-6010C
DR-6030C
DR-6050C
DR-6080
DR-7080C
DR-7090C
DR-7550C
DR-7580
DR-9050C
DR-9080C
DR-C120
DR-C125
DR-C130
DR-C225
DR-C225W
DR-C230
DR-C240
DR-G1100
DR-G1130
DR-M1060
DR-M140
DR-M160
DR-M160II
DR-X10C
MEAP
MS 300
MS 350

Epson Scanners

DS-510	DS-860	DS-50000
DS-520	DS-5500	DS-60000
DS-560	DS-6500	DS-70000
DS-760	DS-7500	

Panasonic Scanners

KV-S1015C	KV-S1057C	KV-S5076H
KV-S1026C	KV-S1065C	KV-S7077
KV-S1027C	KV-S2087	KV-SL 1056
KV-S1037	KV-S5046H	KV-SL 1066
KV-S1046C		

Plustek Scanners

PS3180U	PS406U	
	PS456U	

Samsung Scanner

K7600	X4300	X7600
M4580		


In order to use the scanners, scan profiles are configured using FileDirector Enterprise Manager, which can be then used within the WebScan application of FileDirector WebServer. Users can temporarily adjust the scan profiles during a session.

Directory scan

A scan profile can be configured as a *Directory scanner*. Instead of using a scanner, the scan profile will import files from a defined path, either a local or a UNC path. This scan profile can be configured to delete the files from the import location after they have been imported.

Scanning Rights

Work area: New Document



The work area New Document is only visible for users logging into FileDirector WebServer using either an *fd-scan* or *fd-scan-named* licence.

The area is not visible if using an *fd-user* or *fd-user-named* licence for login.

Scan profiles

If a user needs access to scan profiles, set-up in FileDirector Enterprise Manager, these rights must be granted for each scan profile.

Local scan profiles/Directory Scanner

Local scan profiles for connected and supported scanners and a directory scanner are always available.

Scan Profiles

Documents are scanned using scan profiles. The scan profiles are configured in Enterprise Manager by a FileDirector administrator. Scan profiles can be designed to provide the highest quality scan by setting the best scanner parameters for the documents to be scanned.

Which scanner settings can be configured in the scan profile, depends on the scanner and the driver being used. Settings such as resolution, single or double-sided scanning and colour or black & white scanning are available. A scan profile can also be set to automatically scan a defined number of pages into one document.

Change scanner settings

The scanner settings can be temporarily changed in WebScan. For example the brightness setting can be adjusted to the quality of the documents to be scanned. The available settings depend on the scanner driver used.

The configuration of the scanner driver is reset to its default settings using the *Default* button

Local Scan Profiles

When a workstation has a scanner attached to it, the WebScan can create a local temporary scan profile if the user has scan rights, but no pre-defined scan profiles exist for that user.

When the user selects the *WebScan* in the *Upload* tab, the WebScan application will create a list of the pre-defined scan profiles available to the user. If none exist, WebScan will look to see if any scanners are attached to the workstation. If there is a scanner, a temporary scan profile will be created. The settings available within *Scanner setup* will be dependent upon the installed scanner driver and the capabilities of the scanner.


WebScan will also create a temporary Directory scan profile to allow documents to be imported from the workstation or other location.

These scan profiles are temporary, and will not be saved between sessions.

New document

The FileDirector WebScan feature is located in the working area *New documents*, which can be selected from the top toolbar of the FileDirector WebServer desktop.

After selecting *New document*, the corresponding tab *Upload* opens.




On the left-hand side, all details of the selected cabinet and document type are displayed.

The larger area on the right-hand side provides a toolbar, a document view area and a document list, which contains new documents either created by the option *Add* or *WebScan*.

Installation

When selecting *Open WebScan* from the toolbar for the first time, the application FileDirector WebScan application is added to your browser. A notification window for the installation of *DSDMS.WebScan* opens and the installation must be confirmed.




Scanning documents



After the installation, the FileDirector WebScan window opens.

The drop-down menu provides the available scan profiles. The left part of the window displays the thumbnails of the scanned document and the right part displays, the selected page of the scanned document.



Below the display areas is a toolbar, which provides the WebScan options.

Icon	Description
	Batch scan
	Single-page scan
	Scanner setup
	Delete
	Image 100%
	Fit width
	Fit all

Icon	Description
	Zoom in
	Zoom out
	Zoom area
	Upload


Batch Scan



Using *Batch Scan* all pages in the feeder of a scanner are scanned and stored as one document in FileDirector. Exceptions to this are scanning processes that use page bundling or a separator has been defined within the OCR forms.

To scan a multipage document:

1. Put the page or pages into the scanner feeder.
2. Select the preferred *scan profile*.
3. Select *batch scan* from the WebScan toolbar.
4. After the batch was scanned, a pop-up window asks whether you want to save the scanned pages or to continue scanning.



Save scanned pages

When selecting *Save scanned pages*, all scanned pages are displayed in the preview window of WebScan.

Now, the scanned pages can be checked and, if needed, individual pages can be deleted before selecting *Upload* or additional pages can be added by selecting a scan option, again.

Continue scanning

When selecting *Save scanned pages*, all scanned pages are displayed in the preview window of WebScan.

Now, the scanned pages can be checked and, if needed, individual pages can be deleted before selecting *Upload* or additional pages can be added by selecting a scan option, again.

Scan Single Pages




All documents in the feeder of a scanner are scanned and each page is stored as a single-page-document on the upload list, after selecting *Upload* in the WebScan window.

A horizontal line between each thumbnail illustrates that these pages were scanned, using *Scan single pages*. In addition, each thumbnail shows a *1* below.

Example

1. Put the page or pages into the scanner feeder.
2. Select the preferred *scan profile* from the drop-down list.
3. Select *Scan single pages* from the WebScan toolbar.
4. After the batch was scanned, a pop-up window asks whether you want to save the scanned pages or to continue scanning.



5. Check the scanned pages by browsing through the thumbnails and clicking on a page in question.
6. Delete, if appropriate, pages before using *Upload*.
   Use the checkbox below each thumbnail for selection and use Delete from the WebScan toolbar.
7. After selecting Upload, all pages shown in the thumbnail area of the WebScan window are uploaded to the upload list.

Note:
Each thumbnail in the preview window represents a single page document on the upload list.


The screenshot below shows two pages scanned by using *Scan single pages*.



Upload




After selecting *Upload*, all pages shown in the thumbnail area of the WebScan application are uploaded to the list and a pop-up window confirms the successful upload.



Verify and Check-In

If scanning is done without FileDirector form recognition, the scanned documents that are sent to the list at this point are not yet linked to a document type or to index fields and values.

> *Important:*
> *Performing a Check-In on these documents without manually indexing them can make later searches more difficult.*




Indexing documents manually

After the *Upload*, the new documents must be indexed.

The thumbnails of the selected document are shown above the list.

Within the left area, a cabinet and document type can be selected.

After the selection of a document type, the corresponding fields are displayed. It is highly recommended to add the proper information before *Check-in*.



Check in documents

Select the document on the local list you want to check in and add the appropriate index values. Now select *Check-In* and the selected document is sent to FileDirector.

For each document you want to check in the index fields must be filled right before check-in.

Print and Save Documents

PDF documents or documents which have been temporarily converted to PDF for display by the FileDirector WebServer can be printed directly with FileDirector Web using the *Print* function. Document lists, TIFF and JPEGS, on the other hand, if excluded from temporary conversion, can only be printed via the browser's print function.

Note:
The different configuration options for the Conversion to PDF are described in the FileDirector Installation manual and can be adjusted by a trained system administrator.

PDF Toolbar (View Mode)




Icon	Function	Icon	Function
	Panel		View controls
	Pan		Select
	Zoom out (*Ctrl -*)		Zoom in (*Ctrl +*)
100 %	Zoom (Fit to width, Fit to page, Marquee Zoom)		
	Search		Full screen, Download, Print

Print (PDF Documents/Displayed in PDF Format)

The *Print* function is located in the menu of the PDF toolbar, in the respective tab of the displayed document.

Now you can select information to be printed.



Include comments

If you select the options *Include comments*, the corresponding comments are output as additional pages.

Include annotations

If you select the options *Include annotations*, the corresponding comments are output as additional pages.

Print (Print features of the browser)

Printing documents (TIFF/JPEG display in original format)

Documents in TIFF or JPEG format can only be printed using the browser's print function, unless they have been temporarily converted to PDF format for display.

Print a page of a document

For printing a selected page, open the document and display the page to be printed.

Now you can print the contents of the browser tab using the *browser's print function*.

> *Note:*
> *When using the browser's print functionality, only the entire tab can be printed at a time.*

Print selected pages of a document

In order to print several pages of a document, this document must be displayed as a PDF in the FileDirector WebServer. In this case, the print functions within the PDF toolbar are available.

Also see: *Print (PDF Documents/Displayed in PDF Format)*

Print Hit Lists

For printing a hit list, open the Search section and perform a search.

Now you can print the contents of the browser tab using the *browser's print functionality*.

Note:
When using the browser's print functionality, only the entire tab can be printed at a time.

Save as File



Save individual pages (only TIFF/JPEG display in original format)

When a multi-page TIFF or JPEG document is displayed in its original format, individual pages can be selected via the thumbnail view and then saved with the *Save as...* function. In the following window you can choose whether the selected pages of the document are to be saved in *PDF format*, *ZIP format* or in the *original format* in a file.

Note:
If saved in a zip file, the document will not be converted to PDF.

Save entire document

Mark the document in the hit list using the selection box at the beginning of the line and select the *Save as...* icon. In the following window you can choose whether the document is to be saved in PDF format, ZIP format or in the original format in a file.

The corresponding file is stored in the download directory of the respective Windows user. The *default file name* is *download*.

Note:
If saved in a zip file, the document will not be converted to PDF.

Save Selected Pages as PDF (Display in PDF-Format)



If a multi-page PDF document or document that has been temporarily converted to PDF for display by FileDirector Web is displayed, individual pages can be selected via the thumbnail view.

Display Thumbnails




In the display area, click *Panel* and then select the option *Thumbnails*.

Example:




Now the thumbnails of the individual pages are displayed. You can now click and drag to adjust the display area of the thumbnails if you want to have as many pages as possible displayed in the thumbnail at the same time.

Now *hold down the Ctrl key and select the relevant pages with the left mouse button*. These are now shown with a border and can now be moved, deleted or extracted within the document by clicking and dragging.



You can also use the input field below the thumbnail to select the relevant pages, for example: *1,3* or *1,5-8,10*.



WebMail

FileDirector WebMail is a browser plug-in that allows users sending FileDirector documents using an existing, compatible Email client.

The Email option of FileDirector allows sending of single or selected documents as well as single or selected pages of a document.

In order to use this feature you must have a valid Email account and a MAPI compatible Email client must be used on the workstation.

Microsoft Edge ClickOnce Support

You can check whether the support is activated on the respective system via *edge://flags/#edge-click-once* and select the preferred setting in the drop-down list.

Note
For more information, also see:
ClickOnce and DirectInvoke in Microsoft Edge | Microsoft Docs

Google Chrome ClickOnce Solution

ClickOnce is supported in Google Chrome via 3rd party applications.

Example

ClickOnce for Google Chrome - Chrome Web Store

Disclaimer:
External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.

Mozilla Firefox ClickOnce Solution

ClickOnce is supported in Mozilla Firefox via 3rd party applications.

Example


https://addons.mozilla.org/de/firefox/addon/breez-clickonce/?src=search

Add the extension and restart the browser.

Disclaimer:
External links are being provided as a convenience and for informational purposes only; they do not constitute an endorsement or an approval by the Spielberg Solutions GmbH of any of the products, services or opinions of the corporation or organization or individual.

Installation

When selecting Email for the first time, the application FileDirector WebMail application is added to your browser. A notification window for the installation of *DSDMS WebMail* opens and the installation must be confirmed.



Sending documents

Sending documents from the hit list by e-mail



The email options of FileDirector WebServer allow you to send individual or selected documents and to send a single or selected page of a document as an email (TIFF/JPEG documents only).

To use this feature, you must have a valid e-mail account and a MAPI-compatible e-mail client must be installed on your computer.

File Format Selection



Here FileDirector WebServer offers you the choice of attaching the document or the selected pages as a ZIP file or as a PDF document.

Attachment in PDF Format

If the selected elements are to be attached as a PDF file, click on PDF in the selection window.

Now a PDF file is generated for the selected elements and the installed e-mail client opens a new e-mail containing the PDF file as an attachment.

Attachment in ZIP-Format

If the selected elements are to be attached as a ZIP file, click on ZIP in the selection window.

Now a ZIP file is generated for the selected elements and the installed e-mail client opens a new e-mail containing the ZIP file as an attachment.


If the document to be sent contains only black and white TIFF images, the ZIP file of the e-mail contains one TIFF file per page.

If the document contains mixed file formats, the ZIP file will contain one TIFF file per black/white TIFF page and one JPEG file per colour page; any other file format will be directly included in the ZIP file as the original file format.

E-Mail with Download-Link



Selecting the function *E-mail* within the *Control Box* of an open document generates a link for a download of the corresponding document.



Note:
If documents are sent as a link, the recipient must be a FileDirector user or at least anonymous access must be configured so that the link can be opened.

Entire Document


A single document or multiple documents, including all pages, can be added to an email as attachment, by selecting the checkbox in the search result list of each document you want to add.

Note:
Multiple documents can only be selected within a single document type.

After selecting the document or multiple documents from the search result list and selecting the Email button, a pop-up window appears.

Within this pop-up window, you can choose the format for the email attachment.

Available formats are PDF and ZIP.



Single Pages (TIFF/JPEG only)

The option *Thumbnails* must be selected from the toolbar beforehand that single pages can be selected.

Now, the corresponding thumbnails of the selected document are displayed on the left-hand side. By using the checkboxes below each thumbnail, a page can be selected or deselected. Also it is possible to choose pages from different documents.

Icon	Function
	Select all pages
	Deselect pages
	Toggle selected pages

Note:
Individual pages can only be selected when the documents are within a single document type. Multipage edocs are displayed with a single thumbnail thus no individual pages can be selected in edocs.

Ad Hoc Workflow

Setup (WinClient only)

Using the Ad Hoc Workflow, users can create their own document processes and send documents to them. Users are limited to a maximum of 5 single step ad hoc workflows each.

Document receipt

An ad hoc workflow, created in FileDirector WinClient, is displayed and handled in the same way FileDirector BusinessProcessManagement workflows are.

Note:
For further information see FileDirector BusinessProcessManagement - Document Receipt.

Process Management

FileDirector documents can be integrated into workflow processes using the process management option. With this module the path of a document through the steps of a defined process can be configured and then performed.

A process consists of several steps that are performed consecutively. Each process step can be individually configured to be worked on or whether an action is to be performed by one or more users. Defined tasks are specified for each user, for example approve, reject, comment or simply view (confirm notice).

If the task specified is carried out, the document is routed to the next step of the process depending on the structure of the process. Process management controls the path of a document through the process steps and keeps track of the status and location of a document.

Send on a Process

In order to send a document to a process, the processes must be predefined.

Documents can only be sent automatically to processes via FileDirector WebServer.

Automatic Sending

Documents can be automatically sent to a process depending on the configuration of the process. Automatic options include

- New documents added to a Document Type optionally depending upon index criteria set for the document
- Existing Documents within a Document Type, depending upon index criteria set for the document.


Inbox



Within the tab *Inbox* you find all documents either sent to you through the FileDirector ProcessManagement, an adhoc process or through the FileDirector WinClient feature *Send to…user*.

Icon	Function
	Open cabinet
	Document Info
	Revisions


Document Receipt




Each document received by a user from a process, is listed in the *Inbox*. The action, which the user must perform, is displayed in the *Action* column of the *Inbox* list. This includes documents received as part of a process and from ad hoc workflows.


After opening a document from the inbox list, the document is displayed in a separate tab.

The tab shows the corresponding index information on the left hand side. A tasks pane is opened on the right within display area, which will allow the user to perform the relevant action. The comments are also displayed which may already have been added by other users in previous process steps.



Following the performed *User action*, a comment can be entered, which is displayed for the next *Agent*.





The top area shows the process name, the name of the step and the description, given during the configuration in FileDirector Enterprise Manager.

Below, *Check user action* elements are listed, if configured for this process management step.

Corresponding buttons for the required *User action* of this process step.

The comment section contains comments made by other users in previous steps.

Process actions


For each document received by a user, the configured action needs to be performed. The document will stay in the users *Inbox* until either the required action is performed or the time delay specified is reached. Process management then takes control of the document.

The following actions can be set in FileDirector Enterprise Manager:

No action

Action *Nothing* is used to send a document to a user during a process for information purposes. This action does not influence the process at all.


Confirm view



If the action View is specified for a document, the user must confirm that they have viewed the document. The process management can then take the document to the next step in the process.

The default action text for is *Confirm view*. This can be user defined, and therefore the Confirm view actions may be differently named.


Comment



If a document step has the action Comment assigned, the user must view and add a comment regarding the document. Pressing the *Comment* button will open a window showing all previous comments made, and will allow the user to add their own comments. The process management can then take the document to the next step in the process.

The default action text for is *Comment document*. This can be user defined, and therefore the Comment document actions may be differently named.

Approve/Reject



If the action Approve/Reject is specified for a document, the user must read and then decide whether the document is approved or rejected. In both cases a comment can be added. The process management can then take the document to the next step in the process.

The default action text for is *Approve document* and *Reject document*. This can be user defined, and therefore the Approve/Reject actions may be differently named.

Check user actions



User actions can be defined during the configuration of a process. A list of entries will be defined which must be completed before the user can confirm. This list can be configured to be user specific. If all the checks are not completed, the document will be rejected. Will not move to the next step of the process, and will remain in the users Inbox until all the checks have been completed.

The options that have been checked can be seen in the Comments of the document.

Document Information


Every action that is performed on a document in FileDirector can be logged. A list of these actions can be displayed by an administrator user.

A description of the document information is given below, general information such as when the document was created, by which user, its size and the number of revisions can be viewed.

To view information on a document, select and open the document from a document list.

Select *Document Info* from the control panel in the corresponding document tab. A window, which shows all information on the document, is opened.

Example



Document Info

Name	Value
ID	20180829-0818-1223-3866-2b93fb7f6464
ID (Ref)	
Status	Archived
Pages	1
Revisions	2
Revision	2
Created on	29.08.2018 10:18:12
Created by	demo\admin
Archived on	29.08.2018 10:20:08
Last modified on	24.01.2019 08:31:55
Last modified by	demo\admin
Checked-Out on	
Checked-Out by	
Size	527,04 KB


Document

This displays general information about the document

Information	Description
ID	Unique number (ID) of the document
ID (Ref)	
Status	Actual status : Archived, Checked Out, Read only
Pages	Number of pages
Revisions	Number of revisions
Revision	Number of selected revision
Created on	Date of document creation
Created by	The user who created the document
Archived on	Date of first storing in the cabinet on the server
Last modified on	Date the document was last modified
Last modified by	The user who last modified the document
Checked out on	Date/Time of Check out
Checked out by	The user who has the document checked-out
Size	Storage space used by the document

Settings

General



Language

The drop-down menu offers the following languages:

English (UK)	English (US)
Deutsch	Français
Niederländisch	Português
Español	Japanese
Chinese (Big5)	Chinese (Simplified)

Hitlist page size

The set value defines the number of documents shown per hitlist page.

The default value is 100.

The hitlist pages can be browsed through, using the corresponding icons of the toolbar

Icon	Function	Icon	Function
|<	First page	<	Previous page
>	Next page	>|	Last page
1/2	Number of the currently displayed hitlist page		

Note:
The value, entered here, does not affect or override the Max. number of hits in hitlist *value set in* ConfigUtility (Server)*.*

Show document type name in document tab

When selected, FileDirector WebServer displays the name of the corresponding document type in the document tab.


Show field values in document tab

When selected, FileDirector WebServer uses the value, a double-click was performed on, as part of the document tab naming.

Note:
When both options are selected, the order is document type name – value used for opening the document.

Password

The Password tab allows a user to change the password of the account, that is actually logged-in this FileDirector WebServer session.



Current Password

Enter your current password into the field.

New Password

Enter your new password into the field.

Repeat Password

Repeat the new password, entered in the field above.

Change password

After entering and repeating the new password, select *Change password*. The new password is set and a confirmation is displayed within the Password tab.

Example

